

CRISTAL ZINC OXIDE DRILL RESULTS

PAD	N	DDH	SAMPLE	FROM	TO	INTERVAL	Zn_ppm	Zn_pct
1	486	CR-52-11	11036	0.00	2.00	2.00	2582	0.26%
1	487	CR-52-11	11037	2.00	4.00	2.00	2005	0.20%
1	488	CR-52-11	11038	4.00	4.60	0.60	2576	0.26%
1	489	CR-52-11	11039	4.60	5.30	0.70	6453	0.65%
1	491	CR-52-11	11041	5.30	7.30	2.00	140	0.01%
1	492	CR-52-11	11042	7.30	9.30	2.00	180	0.02%
1	493	CR-52-11	11043	9.30	10.30	1.00	272	0.03%
1	494	CR-52-11	11044	10.30	11.30	1.00	421	0.04%
1	495	CR-52-11	11045	11.30	12.30	1.00	313	0.03%
1	496	CR-52-11	11046	12.30	12.90	0.60	>10000	1.80%
1	497	CR-52-11	11047	12.90	13.90	1.00	1016	0.10%
1	498	CR-52-11	11048	13.90	15.90	2.00	240	0.02%
1	499	CR-52-11	11049	15.90	17.90	2.00	181	0.02%
1	501	CR-52-11	11051	17.90	19.70	1.80	137	0.01%
1	502	CR-52-11	11052	19.70	20.30	0.60	709	0.07%
1	503	CR-52-11	11053	20.30	22.30	2.00	226	0.02%
1	504	CR-52-11	11054	22.30	24.30	2.00	154	0.02%
1	505	CR-52-11	11055	24.30	26.30	2.00	137	0.01%
1	506	CR-52-11	11056	26.30	28.30	2.00	237	0.02%
1	507	CR-52-11	11057	28.30	30.30	2.00	490	0.05%
1	508	CR-52-11	11058	30.30	32.30	2.00	352	0.04%
1	509	CR-52-11	11059	32.30	32.90	0.60	526	0.05%
1	511	CR-52-11	11061	33.60	35.60	2.00	464	0.05%
1	512	CR-52-11	11062	35.60	37.60	2.00	145	0.02%
1	513	CR-52-11	11063	37.60	39.60	2.00	247	0.03%
1	514	CR-52-11	11064	39.60	41.60	2.00	188	0.02%
1	515	CR-52-11	11065	41.60	43.60	2.00	158	0.02%
1	516	CR-52-11	11066	43.60	45.60	2.00	143	0.01%
1	517	CR-52-11	11067	45.60	47.6	2.00	80	0.01%
1	518	CR-52-11	11068	47.60	49.6	2.00	45	0.01%
1	519	CR-52-11	11069	49.60	51.6	2.00	81	0.01%
1	521	CR-52-11	11071	51.6	53.6	2.00	123	0.01%
1	522	CR-52-11	11072	53.6	55.6	2.00	73	0.01%
1	523	CR-52-11	11073	55.6	57.6	2.00	63	0.01%
1	524	CR-52-11	11074	57.6	59.6	2.00	176	0.02%
1	525	CR-52-11	11075	59.6	60.2	0.60	53	0.01%
1	526	CR-53-11	11076	4.70	5.70	1.00	9047	0.91%
1	527	CR-53-11	11077	5.70	6.70	1.00	6673	0.67%
1	528	CR-53-11	11078	6.70	7.70	1.00	6700	0.67%
1	529	CR-53-11	11079	7.70	9.70	2.00	6610	0.66%
1	531	CR-53-11	11081	9.70	10.70	1.00	>10000	2.47%
1	532	CR-53-11	11082	10.70	11.70	1.00	>10000	2.76%
1	533	CR-53-11	11083	11.70	12.70	1.00	>10000	3.01%
1	534	CR-53-11	11084	12.70	13.70	1.00	>10000	2.57%
1	535	CR-53-11	11085	13.70	14.70	1.00	>10000	1.25%
1	536	CR-53-11	11086	14.70	15.70	1.00	>10000	1.42%
1	537	CR-53-11	11087	15.70	16.70	1.00	6774	0.68%
1	538	CR-53-11	11088	16.70	17.70	1.00	>10000	1.10%
1	539	CR-53-11	11089	17.70	18.70	1.00	>10000	2.26%

CRISTAL ZINC OXIDE DRILL RESULTS

1	541	CR-53-11	11091	18.70	19.05	0.35	>10000	7.00%
1	542	CR-53-11	11092	19.05	21.20	2.15	3237	0.32%
1	543	CR-53-11	11093	21.20	22.20	1.00	>10000	3.89%
1	544	CR-53-11	11094	22.20	24.20	2.00	>10000	3.11%
1	545	CR-53-11	11095	25.70	27.20	1.50	>10000	6.36%
1	546	CR-53-11	11096	27.20	29.20	2.00	668	0.07%
1	547	CR-53-11	11097	29.20	31.20	2.00	483	0.05%
1	548	CR-53-11	11098	31.20	33.20	2.00	294	0.03%
1	549	CR-53-11	11099	33.20	35.20	2.00	267	0.03%
1	551	CR-53-11	11101	35.20	37.20	2.00	803	0.08%
1	552	CR-53-11	11102	37.20	39.20	2.00	1451	0.15%
1	553	CR-53-11	11103	39.20	41.20	2.00	578	0.06%
1	554	CR-53-11	11104	41.20	43.20	2.00	468	0.05%
1	555	CR-53-11	11105	43.20	45.20	2.00	378	0.04%
1	556	CR-53-11	11106	45.20	47.20	2.00	286	0.03%
1	557	CR-53-11	11107	47.20	49.20	2.00	340	0.03%
1	558	CR-53-11	11108	49.20	51.20	2.00	190	0.02%
1	559	CR-53-11	11109	51.20	53.20	2.00	511	0.05%
1	561	CR-53-11	11111	53.2	54.65	1.45	716	0.07%
1	562	CR-53-11	11112	54.65	55.65	1.00	>10000	6.88%
1	563	CR-53-11	11113	55.65	56.65	1.00	>10000	17.02%
1	564	CR-53-11	11114	56.65	57.65	1.00	>10000	2.84%
1	565	CR-53-11	11115	57.65	58.70	1.05	>10000	1.33%
1	566	CR-53-11	11116	58.70	60.70	2.00	1900	0.19%
1	567	CR-53-11	11117	60.70	61.95	1.25	229	0.02%
1	568	CR-53-11	11118	61.95	63.20	1.25	411	0.04%
1	957	CR-64-11	11507	4.70	6.00	1.30	1987	0.20%
1	958	CR-64-11	11508	6.00	7.20	1.20	1912	0.19%
1	959	CR-64-11	11509	7.20	8.20	1.00	3431	0.34%
1	961	CR-64-11	11511	8.20	9.20	1.00	5299	0.53%
1	962	CR-64-11	11512	9.20	10.90	1.70	3868	0.39%
1	963	CR-64-11	11513	10.90	15.9	5.00	108	0.01%
1	964	CR-64-11	11514	15.90	20.90	5.00	270	0.03%
1	965	CR-64-11	11515	20.90	25.90	5.00	183	0.02%
1	966	CR-64-11	11516	25.90	30.90	5.00	151	0.02%
1	967	CR-64-11	11517	30.90	35.90	5.00	189	0.02%
1	968	CR-64-11	11518	35.90	40.90	5.00	181	0.02%
1	969	CR-64-11	11519	40.90	45.90	5.00	215	0.02%
1	971	CR-64-11	11521	45.90	48.20	2.30	227	0.02%
2	569	CR-54-11	11119	4.70	6.70	2.00	126	0.01%
2	571	CR-54-11	11121	6.7	8.7	2.00	236	0.02%
2	572	CR-54-11	11122	8.7	10.7	2.00	130	0.01%
2	573	CR-54-11	11123	10.7	12.7	2.00	130	0.01%
2	574	CR-54-11	11124	12.7	14.7	2.00	566	0.06%
2	575	CR-54-11	11125	14.7	15.9	1.20	469	0.05%
2	576	CR-54-11	11126	15.9	17.4	1.50	607	0.06%
2	577	CR-54-11	11127	17.4	18.3	0.90	3465	0.35%
2	578	CR-54-11	11128	18.3	18.85	0.55	3294	0.33%
2	579	CR-54-11	11129	18.85	20.85	2.00	348	0.04%
2	581	CR-54-11	11131	20.85	22.85	2.00	182	0.02%

CRISTAL ZINC OXIDE DRILL RESULTS

2	582	CR-54-11	11132	22.85	24.85	2.00	373	0.04%
2	583	CR-54-11	11133	24.85	25.9	1.05	1174	0.12%
2	584	CR-54-11	11134	25.9	26.5	0.60	2068	0.21%
2	585	CR-54-11	11135	26.5	27.25	0.75	504	0.05%
2	586	CR-54-11	11136	27.25	29.25	2.00	264	0.03%
2	587	CR-54-11	11137	29.25	31.25	2.00	439	0.04%
2	588	CR-54-11	11138	31.25	33.25	2.00	291	0.03%
2	589	CR-54-11	11139	33.25	35.25	2.00	349	0.04%
2	591	CR-54-11	11141	35.25	37.25	2.00	264	0.03%
2	592	CR-54-11	11142	37.25	39.25	2.00	262	0.03%
2	593	CR-54-11	11143	39.25	41.25	2.00	204	0.02%
2	594	CR-54-11	11144	41.25	43.25	2.00	303	0.03%
2	595	CR-54-11	11145	43.25	44.25	1.00	973	0.10%
2	596	CR-54-11	11146	44.25	45.2	0.95	2655	0.27%
2	597	CR-54-11	11147	45.2	45.7	0.50	1680	0.17%
2	598	CR-54-11	11148	45.7	46.35	0.65	139	0.01%
2	599	CR-54-11	11149	46.35	48.35	2.00	287	0.03%
2	601	CR-54-11	11151	48.35	50.35	2.00	1042	0.10%
2	602	CR-54-11	11152	50.35	52.35	2.00	26	0.00%
2	603	CR-54-11	11153	52.35	54.35	2.00	20	0.00%
2	604	CR-54-11	11154	54.35	56.35	2.00	67	0.01%
2	605	CR-54-11	11155	56.35	58.35	2.00	71	0.01%
2	606	CR-54-11	11156	58.35	60.2	1.85	32	0.00%
2	607	CR-55-11	11157	4.7	6.2	1.50	1573	0.16%
2	608	CR-55-11	11158	6.2	8.2	2.00	159	0.02%
2	609	CR-55-11	11159	8.2	10.2	2.00	93	0.01%
2	611	CR-55-11	11161	10.2	12.2	2.00	107	0.01%
2	612	CR-55-11	11162	12.2	13.2	1.00	247	0.03%
2	613	CR-55-11	11163	13.2	14.2	1.00	1665	0.17%
2	614	CR-55-11	11164	14.2	15.2	1.00	1555	0.16%
2	615	CR-55-11	11165	15.2	17.2	2.00	436	0.04%
2	616	CR-55-11	11166	17.2	19.2	2.00	200	0.02%
2	617	CR-55-11	11167	19.2	20.5	1.30	299	0.03%
2	618	CR-55-11	11168	20.5	21.65	1.15	384	0.04%
2	619	CR-55-11	11169	21.65	23.8	2.15	2288	0.23%
2	621	CR-55-11	11171	23.8	25.8	2.00	544	0.05%
2	622	CR-55-11	11172	25.8	27.8	2.00	705	0.07%
2	623	CR-55-11	11173	27.8	29.8	2.00	264	0.03%
2	624	CR-55-11	11174	29.8	31.8	2.00	176	0.02%
2	625	CR-55-11	11175	31.8	33.8	2.00	259	0.03%
2	626	CR-55-11	11176	33.8	35.8	2.00	323	0.03%
2	627	CR-55-11	11177	35.8	37.8	2.00	372	0.04%
2	628	CR-55-11	11178	37.8	39.8	2.00	1231	0.12%
2	629	CR-55-11	11179	39.8	41.8	2.00	2085	0.21%
2	631	CR-55-11	11181	41.8	43.8	2.00	355	0.04%
2	632	CR-55-11	11182	43.8	45.8	2.00	201	0.02%
2	633	CR-55-11	11183	45.8	47.8	2.00	296	0.03%
2	634	CR-55-11	11184	47.8	49.8	2.00	4467	0.45%
2	635	CR-55-11	11185	49.8	51.8	2.00	328	0.03%
2	636	CR-55-11	11186	51.8	53.8	2.00	2341	0.23%

CRISTAL ZINC OXIDE DRILL RESULTS

2	637	CR-55-11	11187	53.8	55.8	2.00	327	0.03%
2	638	CR-55-11	11188	55.8	57.8	2.00	376	0.04%
2	639	CR-55-11	11189	57.8	59.8	2.00	152	0.02%
2	641	CR-55-11	11191	59.8	61.7	1.90	458	0.05%
3	218	CR-46-11	10768	1.70	3.20	1.50	90	0.01%
3	219	CR-46-11	10769	3.20	5.20	2.00	111	0.01%
3	221	CR-46-11	10771	5.20	7.20	2.00	105	0.01%
3	222	CR-46-11	10772	7.20	9.20	2.00	57	0.01%
3	223	CR-46-11	10773	9.20	10.20	1.00	1185	0.12%
3	224	CR-46-11	10774	10.20	12.20	2.00	747	0.08%
3	225	CR-46-11	10775	12.20	14.20	2.00	471	0.05%
3	226	CR-46-11	10776	14.20	16.20	2.00	59	0.01%
3	227	CR-46-11	10777	16.20	17.20	1.00	17	0.00%
3	228	CR-46-11	10778	17.20	18.20	1.00	259	0.03%
3	229	CR-46-11	10779	18.20	20.20	2.00	84	0.01%
3	231	CR-46-11	10781	20.20	22.20	2.00	367	0.04%
3	232	CR-46-11	10782	22.20	22.70	0.50	224	0.02%
3	233	CR-46-11	10783	22.70	24.70	2.00	70	0.01%
3	234	CR-46-11	10784	24.70	26.70	2.00	234	0.02%
3	235	CR-46-11	10785	26.70	27.90	1.20	265	0.03%
3	236	CR-46-11	10786	27.90	29.20	1.30	219	0.02%
3	237	CR-46-11	10787	29.20	30.20	1.00	605	0.06%
3	238	CR-46-11	10788	30.20	31.70	1.50	548	0.06%
3	239	CR-46-11	10789	31.70	33.70	2.00	208	0.02%
3	241	CR-46-11	10791	33.70	35.70	2.00	497	0.05%
3	242	CR-46-11	10792	35.70	37.70	2.00	239	0.02%
3	243	CR-46-11	10793	37.70	38.70	1.00	296	0.03%
3	244	CR-46-11	10794	38.70	39.20	0.50	1389	0.14%
3	245	CR-46-11	10795	39.20	40.40	1.20	99	0.01%
3	246	CR-46-11	10796	40.40	42.40	2.00	658	0.07%
3	247	CR-46-11	10797	42.40	44.40	2.00	490	0.05%
3	248	CR-46-11	10798	44.40	46.40	2.00	617	0.06%
3	249	CR-46-11	10799	46.40	48.40	2.00	442	0.04%
3	251	CR-46-11	10801	48.40	50.40	2.00	626	0.06%
3	252	CR-46-11	10802	50.40	51.80	1.40	661	0.07%
3	253	CR-46-11	10803	51.80	53.80	2.00	272	0.03%
3	254	CR-46-11	10804	53.80	54.40	0.60	233	0.02%
3	255	CR-46-11	10805	54.40	56.40	2.00	656	0.07%
3	256	CR-46-11	10806	56.40	58.40	2.00	635	0.06%
3	257	CR-46-11	10807	58.40	60.40	2.00	760	0.08%
3	258	CR-46-11	10808	60.40	62.40	2.00	701	0.07%
3	259	CR-46-11	10809	62.40	64.40	2.00	779	0.08%
3	261	CR-46-11	10811	64.40	66.40	2.00	1175	0.12%
3	262	CR-46-11	10812	66.40	67.70	1.30	2178	0.22%
3	263	CR-46-11	10813	68.50	70.00	1.50	1075	0.11%
3	264	CR-47-11	10814	0.00	1.70	1.70	596	0.06%
3	265	CR-47-11	10815	1.70	3.20	1.50	444	0.04%
3	266	CR-47-11	10816	3.20	4.70	1.50	503	0.05%
3	267	CR-47-11	10817	4.70	7.70	3.00	494	0.05%
3	268	CR-47-11	10818	7.70	9.20	1.50	460	0.05%

CRISTAL ZINC OXIDE DRILL RESULTS

3	269	CR-47-11	10819	9.20	12.20	3.00	468	0.05%
3	271	CR-47-11	10821	12.20	15.20	3.00	1398	0.14%
3	272	CR-47-11	10822	15.20	16.70	1.50	828	0.08%
3	273	CR-47-11	10823	16.70	18.20	1.50	1019	0.10%
3	274	CR-47-11	10824	21.80	22.70	0.90	324	0.03%
3	275	CR-47-11	10825	22.70	24.20	1.50	2810	0.28%
3	276	CR-47-11	10826	24.20	26.75	2.55	6679	0.67%
3	277	CR-47-11	10827	26.75	27.30	0.55	4231	0.42%
3	278	CR-47-11	10828	27.30	28.70	1.40	2005	0.20%
3	279	CR-47-11	10829	28.70	29.7	1.00	3168	0.32%
3	281	CR-47-11	10831	29.70	31.20	1.50	1347	0.14%
3	282	CR-47-11	10832	31.20	32.2	1.00	4805	0.48%
3	283	CR-47-11	10833	32.20	33.20	1.00	3369	0.34%
3	284	CR-47-11	10834	33.20	34.70	1.50	4576	0.46%
3	285	CR-47-11	10835	34.70	36.10	1.40	5449	0.55%
3	286	CR-47-11	10836	36.10	37.30	1.20	5728	0.57%
3	287	CR-47-11	10837	37.30	37.80	0.50	6390	0.64%
3	288	CR-47-11	10838	37.80	38.30	0.50	>10000	1.95%
3	289	CR-47-11	10839	38.30	39.20	0.90	>10000	1.50%
3	291	CR-47-11	10841	39.20	39.75	0.55	3391	0.34%
3	292	CR-47-11	10842	39.75	40.75	1.00	324	0.03%
3	293	CR-47-11	10843	40.75	41.75	1.00	555	0.06%
3	294	CR-47-11	10844	41.75	43.75	2.00	422	0.04%
3	295	CR-47-11	10845	43.75	45.75	2.00	374	0.04%
3	296	CR-47-11	10846	45.75	47.75	2.00	350	0.04%
3	297	CR-47-11	10847	47.75	49.75	2.00	442	0.04%
3	298	CR-47-11	10848	49.75	51.10	1.35	137	0.01%
3	299	CR-47-11	10849	51.10	51.80	0.70	1110	0.11%
3	301	CR-47-11	10851	51.80	53.80	2.00	331	0.03%
3	302	CR-47-11	10852	53.80	55.00	1.20	274	0.03%
3	303	CR-47-11	10853	55.00	56.00	1.00	211	0.02%
3	304	CR-47-11	10854	56.00	56.50	0.50	2584	0.26%
3	305	CR-47-11	10855	56.50	58.00	1.50	2814	0.28%
3	306	CR-47-11	10856	58.00	59.50	1.50	1544	0.15%
3	307	CR-47-11	10857	59.50	60.35	0.85	1925	0.19%
3	308	CR-47-11	10858	60.35	62.00	1.65	124	0.01%
3	309	CR-47-11	10859	62.00	62.50	0.50	270	0.03%
3	311	CR-47-11	10861	62.50	63.00	0.50	592	0.06%
3	312	CR-47-11	10862	63.00	65.00	2.00	490	0.05%
3	313	CR-48-11	10863	4.40	5.35	0.95	1538	0.15%
3	314	CR-48-11	10864	6.40	7.40	1.00	6233	0.62%
3	315	CR-48-11	10865	7.40	7.90	0.50	3494	0.35%
3	316	CR-48-11	10866	7.90	8.80	0.90	1794	0.18%
3	317	CR-48-11	10867	8.80	9.45	0.65	2018	0.20%
3	318	CR-48-11	10868	11.05	11.75	0.70	2654	0.27%
3	319	CR-48-11	10869	12.20	12.80	0.60	3094	0.31%
3	321	CR-48-11	10871	13.70	14.20	0.50	3750	0.38%
3	322	CR-48-11	10872	14.20	14.70	0.50	2265	0.23%
3	323	CR-48-11	10873	14.70	15.20	0.50	2155	0.22%
3	324	CR-48-11	10874	15.20	15.70	0.50	3713	0.37%

CRISTAL ZINC OXIDE DRILL RESULTS

3	325	CR-48-11	10875	15.70	16.20	0.50	4077	0.41%
3	326	CR-48-11	10876	16.20	16.70	0.50	3544	0.35%
3	327	CR-48-11	10877	16.70	17.20	0.50	2700	0.27%
3	328	CR-48-11	10878	17.20	17.70	0.50	3721	0.37%
3	329	CR-48-11	10879	17.70	18.20	0.50	5131	0.51%
3	331	CR-48-11	10881	18.20	18.70	0.50	4703	0.47%
3	332	CR-48-11	10882	18.70	19.30	0.60	4220	0.42%
3	333	CR-48-11	10883	19.50	20.00	0.50	5521	0.55%
3	334	CR-48-11	10884	20.00	20.50	0.50	9211	0.92%
3	335	CR-48-11	10885	20.50	21.00	0.50	5081	0.51%
3	336	CR-48-11	10886	21.00	22.00	1.00	402	0.04%
3	337	CR-48-11	10887	22.00	23.00	1.00	299	0.03%
3	338	CR-48-11	10888	23.00	24.00	1.00	205	0.02%
3	339	CR-48-11	10889	24.00	26.00	2.00	475	0.05%
3	341	CR-48-11	10891	26.00	28.00	2.00	266	0.03%
3	342	CR-48-11	10892	28.00	30.00	2.00	542	0.05%
3	343	CR-48-11	10893	30.00	32.00	2.00	246	0.03%
3	344	CR-48-11	10894	32.00	33.00	1.00	601	0.06%
3	345	CR-48-11	10895	33.00	35.00	2.00	286	0.03%
3	346	CR-48-11	10896	35.00	37.00	2.00	315	0.03%
3	347	CR-48-11	10897	37.00	39.00	2.00	160	0.02%
3	348	CR-48-11	10898	39.00	41.00	2.00	205	0.02%
3	349	CR-48-11	10899	41.00	43.00	2.00	141	0.01%
3	351	CR-48-11	10901	43.00	44.20	1.20	142	0.01%
3	352	CR-48-11	10902	44.20	45.20	1.00	1722	0.17%
3	353	CR-48-11	10903	45.20	46.00	0.80	949	0.10%
3	354	CR-48-11	10904	46.00	48.00	2.00	403	0.04%
3	355	CR-48-11	10905	48.00	50.00	2.00	195	0.02%
3	356	CR-48-11	10906	50.00	51.10	1.10	152	0.02%
3	357	CR-48-11	10907	51.10	52.00	0.90	222	0.02%
3	358	CR-48-11	10908	52.70	53.60	0.90	1103	0.11%
3	359	CR-48-11	10909	53.60	54.70	1.10	89	0.01%
3	361	CR-48-11	10911	54.70	55.30	0.60	130	0.01%
3	362	CR-48-11	10912	55.30	56.70	1.40	123	0.01%
3	363	CR-48-11	10913	56.70	58.90	2.20	229	0.02%
3	364	CR-48-11	10914	58.90	60.20	1.30	901	0.09%
3	365	CR-48-11	10915	60.20	62.20	2.00	547	0.06%
3	366	CR-48-11	10916	62.20	64.00	1.80	143	0.01%
3	367	CR-48-11	10917	64.00	64.70	0.70	1639	0.16%
3	368	CR-48-11	10918	64.70	66.70	2.00	241	0.02%
3	369	CR-48-11	10919	66.70	67.70	1.00	261	0.03%
3	371	CR-48-11	10921	67.70	69.40	1.70	469	0.05%
3	372	CR-48-11	10922	69.40	70.90	1.50	190	0.02%
4	373	CR-49-11	10923	4.40	5.40	1.00	55	0.01%
4	374	CR-49-11	10924	5.40	6.40	1.00	134	0.01%
4	375	CR-49-11	10925	6.40	8.40	2.00	49	0.01%
4	376	CR-49-11	10926	8.40	9.55	1.15	77	0.01%
4	377	CR-49-11	10927	9.55	12.20	2.65	1880	0.19%
4	378	CR-49-11	10928	12.20	13.20	1.00	8919	0.89%
4	379	CR-49-11	10929	13.20	14.20	1.00	5855	0.59%

CRISTAL ZINC OXIDE DRILL RESULTS

4	381	CR-49-11	10931	14.20	15.20	1.00	6565	0.66%
4	382	CR-49-11	10932	15.20	16.90	1.70	77	0.01%
4	383	CR-49-11	10933	16.90	18.20	1.30	4543	0.45%
4	384	CR-49-11	10934	18.20	20.20	2.00	5531	0.55%
4	385	CR-49-11	10935	20.20	22.20	2.00	875	0.09%
4	386	CR-49-11	10936	22.20	24.20	2.00	850	0.09%
4	387	CR-49-11	10937	24.20	26.20	2.00	394	0.04%
4	388	CR-49-11	10938	26.20	27.20	1.00	3132	0.31%
4	389	CR-49-11	10939	27.20	28.70	1.50	29	0.00%
4	391	CR-49-11	10941	28.70	29.70	1.00	>10000	1.50%
4	392	CR-49-11	10942	29.70	30.40	0.70	7304	0.73%
4	393	CR-49-11	10943	30.40	31.70	1.30	205	0.02%
4	394	CR-49-11	10944	31.70	33.50	1.80	4990	0.50%
4	395	CR-49-11	10945	33.50	35.50	2.00	83	0.01%
4	396	CR-49-11	10946	35.50	37.50	2.00	172	0.02%
4	397	CR-49-11	10947	37.50	39.50	2.00	28	0.00%
4	398	CR-49-11	10948	39.50	41.50	2.00	37	0.00%
4	399	CR-49-11	10949	41.50	42.55	1.05	19	0.00%
4	401	CR-49-11	10951	42.55	43.40	0.85	21	0.00%
4	402	CR-49-11	10952	43.40	45.40	2.00	36	0.00%
4	403	CR-49-11	10953	45.40	47.40	2.00	22	0.00%
4	404	CR-49-11	10954	47.40	49.40	2.00	23	0.00%
4	405	CR-49-11	10955	49.40	51.30	1.90	31	0.00%
4	406	CR-49-11	10956	51.30	52.40	1.10	21	0.00%
4	407	CR-49-11	10957	52.40	52.80	0.40	18	0.00%
4	408	CR-49-11	10958	52.80	53.60	0.80	33	0.00%
4	409	CR-49-11	10959	53.60	54.30	0.70	181	0.02%
4	411	CR-49-11	10961	54.30	56.30	2.00	69	0.01%
4	412	CR-49-11	10962	56.30	58.30	2.00	42	0.00%
4	413	CR-49-11	10963	58.30	60.30	2.00	86	0.01%
4	414	CR-49-11	10964	60.30	62.30	2.00	24	0.00%
4	415	CR-49-11	10965	62.30	64.30	2.00	39	0.00%
4	416	CR-49-11	10966	64.30	66.30	2.00	72	0.01%
4	417	CR-49-11	10967	66.30	68.30	2.00	40	0.00%
4	418	CR-49-11	10968	68.30	70.30	2.00	10	0.00%
4	419	CR-49-11	10969	70.30	72.30	2.00	15	0.00%
4	421	CR-49-11	10971	72.30	74.30	2.00	19	0.00%
4	422	CR-49-11	10972	74.30	76.30	2.00	12	0.00%
4	423	CR-49-11	10973	76.30	78.30	2.00	15	0.00%
4	424	CR-49-11	10974	78.30	80.30	2.00	7	0.00%
4	425	CR-49-11	10975	80.30	81.20	0.90	25	0.00%
4	426	CR-50-11	10976	13.60	14.60	1.00	2519	0.25%
4	427	CR-50-11	10977	14.60	16.20	1.60	24	0.00%
4	428	CR-50-11	10978	16.20	17.20	1.00	1615	0.16%
4	429	CR-50-11	10979	17.20	18.20	1.00	1589	0.16%
4	431	CR-50-11	10981	18.20	19.20	1.00	1396	0.14%
4	432	CR-50-11	10982	19.20	21.20	2.00	2056	0.21%
4	433	CR-50-11	10983	21.20	22.05	0.85	3133	0.31%
4	434	CR-50-11	10984	22.05	23.65	1.60	73	0.01%
4	435	CR-50-11	10985	23.65	24.20	0.55	936	0.09%

CRISTAL ZINC OXIDE DRILL RESULTS

4	436	CR-50-11	10986	30.95	32.95	2.00	16	0.00%
4	437	CR-50-11	10987	32.95	34.95	2.00	47	0.01%
4	438	CR-50-11	10988	34.95	35.50	0.55	92	0.01%
4	439	CR-50-11	10989	35.50	37.50	2.00	12	0.00%
4	441	CR-50-11	10991	37.50	39.50	2.00	10	0.00%
4	442	CR-50-11	10992	39.50	41.70	2.20	10	0.00%
4	443	CR-50-11	10993	41.70	43.70	2.00	10	0.00%
4	444	CR-50-11	10994	43.70	45.70	2.00	8	0.00%
4	445	CR-50-11	10995	45.70	47.70	2.00	11	0.00%
4	446	CR-50-11	10996	47.70	49.70	2.00	14	0.00%
4	447	CR-50-11	10997	49.70	51.70	2.00	41	0.00%
4	448	CR-50-11	10998	51.70	52.70	1.00	11	0.00%
4	449	CR-50-11	10999	52.70	53.70	1.00	12	0.00%
4	451	CR-50-11	11001	53.70	54.50	0.80	22	0.00%
4	452	CR-50-11	11002	54.50	56.50	2.00	13	0.00%
4	453	CR-50-11	11003	56.50	58.50	2.00	81	0.01%
4	454	CR-50-11	11004	58.50	60.20	1.70	8	0.00%
4	455	CR-51-11	11005	16.70	17.50	0.80	3818	0.38%
4	456	CR-51-11	11006	17.50	19.40	1.90	3557	0.36%
4	457	CR-51-11	11007	19.40	20.40	1.00	3960	0.40%
4	458	CR-51-11	11008	20.40	21.40	1.00	1495	0.15%
4	459	CR-51-11	11009	21.40	23.40	2.00	446	0.05%
4	461	CR-51-11	11011	23.40	25.40	2.00	114	0.01%
4	462	CR-51-11	11012	25.40	26.90	1.50	1467	0.15%
4	463	CR-51-11	11013	27.40	29.40	2.00	204	0.02%
4	464	CR-51-11	11014	29.40	30.40	1.00	6056	0.61%
4	465	CR-51-11	11015	30.95	32.40	1.45	6042	0.60%
4	466	CR-51-11	11016	32.40	34.40	2.00	3929	0.39%
4	467	CR-51-11	11017	34.40	36.40	2.00	1427	0.14%
4	468	CR-51-11	11018	36.40	38.40	2.00	491	0.05%
4	469	CR-51-11	11019	38.40	40.70	2.30	120	0.01%
4	471	CR-51-11	11021	40.70	42.40	1.70	330	0.03%
4	472	CR-51-11	11022	42.40	44.40	2.00	299	0.03%
4	473	CR-51-11	11023	44.40	46.40	2.00	148	0.02%
4	474	CR-51-11	11024	46.40	48.40	2.00	1324	0.13%
4	475	CR-51-11	11025	48.40	49.40	1.00	1672	0.17%
4	476	CR-51-11	11026	49.40	50.40	1.00	6163	0.62%
4	477	CR-51-11	11027	50.40	52.40	2.00	9248	0.93%
4	478	CR-51-11	11028	52.40	54.40	2.00	6202	0.62%
4	479	CR-51-11	11029	54.40	56.40	2.00	7953	0.80%
4	481	CR-51-11	11031	56.40	58.40	2.00	7675	0.77%
4	482	CR-51-11	11032	58.40	60.40	2.00	7158	0.72%
4	483	CR-51-11	11033	60.40	61.70	1.30	506	0.05%
4	484	CR-51-11	11034	61.70	63.20	1.50	7409	0.74%
4	485	CR-51-11	11035	66.65	67.70	1.05	53	0.01%
5	642	CR-56-11	11192	3.95	5.95	2.00	7331	0.73%
5	643	CR-56-11	11193	5.95	7.95	2.00	>10000	1.06%
5	644	CR-56-11	11194	7.95	9.95	2.00	>10000	1.14%
5	645	CR-56-11	11195	9.95	11.95	2.00	>10000	1.37%
5	646	CR-56-11	11196	11.95	13.95	2.00	>10000	1.48%

CRISTAL ZINC OXIDE DRILL RESULTS

5	647	CR-56-11	11197	13.95	15.95	2.00	>10000	1.17%
5	648	CR-56-11	11198	15.95	17.95	2.00	>10000	1.41%
5	649	CR-56-11	11199	17.95	18.45	0.50	>10000	1.10%
5	651	CR-56-11	11201	18.45	19.4	0.95	>10000	2.43%
5	652	CR-56-11	11202	19.4	20.4	1.00	>10000	7.31%
5	653	CR-56-11	11203	20.4	21.7	1.30	>10000	8.73%
5	654	CR-56-11	11204	21.7	22.7	1.00	3215	0.32%
5	655	CR-56-11	11205	22.7	23.7	1.00	6319	0.63%
5	656	CR-56-11	11206	23.7	25.05	1.35	>10000	2.76%
5	657	CR-56-11	11207	25.05	26.5	1.45	529	0.05%
5	658	CR-56-11	11208	26.5	27.2	0.70	>10000	2.07%
5	659	CR-56-11	11209	27.2	27.8	0.60	>10000	1.82%
5	661	CR-56-11	11211	27.8	28.6	0.80	413	0.04%
5	662	CR-56-11	11212	28.6	30.25	1.65	>10000	2.45%
5	663	CR-56-11	11213	30.25	32.25	2.00	793	0.08%
5	664	CR-56-11	11214	32.25	34.25	2.00	1102	0.11%
5	665	CR-56-11	11215	34.25	36.2	1.95	276	0.03%
5	666	CR-56-11	11216	36.2	38.2	2.00	351	0.04%
5	667	CR-56-11	11217	38.2	40.2	2.00	341	0.03%
5	668	CR-56-11	11218	40.2	42.2	2.00	343	0.03%
5	669	CR-56-11	11219	42.2	44.2	2.00	240	0.02%
5	671	CR-56-11	11221	44.2	46.2	2.00	295	0.03%
5	672	CR-56-11	11222	46.2	48.2	2.00	923	0.09%
5	673	CR-56-11	11223	48.2	50.2	2.00	1360	0.14%
5	674	CR-56-11	11224	50.2	52.2	2.00	1175	0.12%
5	675	CR-56-11	11225	52.2	54.2	2.00	207	0.02%
5	676	CR-56-11	11226	54.2	56.2	2.00	120	0.01%
5	677	CR-56-11	11227	56.2	58.2	2.00	488	0.05%
5	678	CR-56-11	11228	58.2	60.2	2.00	329	0.03%
5	679	CR-57-11	11229	7.1	8.1	1.00	3578	0.36%
5	681	CR-57-11	11231	8.1	9.2	1.10	4102	0.41%
5	682	CR-57-11	11232	9.2	9.7	0.50	5446	0.55%
5	683	CR-57-11	11233	9.7	10.7	1.00	3326	0.33%
5	684	CR-57-11	11234	10.7	12.2	1.50	5640	0.56%
5	685	CR-57-11	11235	12.2	13.7	1.50	8895	0.89%
5	686	CR-57-11	11236	13.7	15.2	1.50	14100	1.41%
5	687	CR-57-11	11237	15.2	16.7	1.50	27500	2.75%
5	688	CR-57-11	11238	16.7	18.2	1.50	14200	1.42%
5	689	CR-57-11	11239	18.2	19.7	1.50	7654	0.77%
5	691	CR-57-11	11241	19.7	21	1.30	8689	0.87%
5	692	CR-57-11	11242	21	22.15	1.15	9551	0.96%
5	693	CR-57-11	11243	22.15	22.95	0.80	2707	0.27%
5	694	CR-57-11	11244	22.95	27.95	5.00	234	0.02%
5	695	CR-57-11	11245	27.95	32.95	5.00	124	0.01%
5	696	CR-57-11	11246	32.95	37.95	5.00	301	0.03%
5	697	CR-57-11	11247	37.95	42.95	5.00	734	0.07%
5	698	CR-57-11	11248	42.95	47.95	5.00	148	0.02%
5	699	CR-57-11	11249	47.95	52.95	5.00	197	0.02%
5	701	CR-57-11	11251	52.95	57.95	5.00	50	0.01%
5	702	CR-57-11	11252	57.95	61.95	4.00	124	0.01%

CRISTAL ZINC OXIDE DRILL RESULTS

5	703	CR-57-11	11253	61.95	63.2	1.25	227	0.02%
5	704	CR-58-11	11254	1.7	3.7	2.00	7920	0.79%
5	705	CR-58-11	11255	3.7	5.7	2.00	3884	0.39%
5	706	CR-58-11	11256	5.7	7.7	2.00	2956	0.30%
5	707	CR-58-11	11257	7.7	8.7	1.00	3182	0.32%
5	708	CR-58-11	11258	8.7	10.7	2.00	5135	0.51%
5	709	CR-58-11	11259	10.7	12.7	2.00	7718	0.77%
5	711	CR-58-11	11261	12.7	13.7	1.00	17400	1.74%
5	712	CR-58-11	11262	13.7	15.7	2.00	34100	3.41%
5	713	CR-58-11	11263	15.7	16.7	1.00	44600	4.46%
5	714	CR-58-11	11264	16.7	21.7	5.00	239	0.02%
5	715	CR-58-11	11265	21.7	26.7	5.00	232	0.02%
5	716	CR-58-11	11266	26.7	31.7	5.00	206	0.02%
5	717	CR-58-11	11267	31.7	36.7	5.00	130	0.01%
5	718	CR-58-11	11268	36.7	41.7	5.00	223	0.02%
5	719	CR-58-11	11269	41.7	46.7	5.00	427	0.04%
5	721	CR-58-11	11271	46.7	51.7	5.00	1892	0.19%
5	722	CR-58-11	11272	51.7	52.7	1.00	378	0.04%
5	723	CR-58-11	11273	52.7	57.7	5.00	288	0.03%
5	724	CR-58-11	11274	57.7	60.2	2.50	177	0.02%
6	1	CR-41-11	10551	8.00	10.00	2.00	93	0.01%
6	2	CR-41-11	10552	10.00	12.00	2.00	128	0.01%
6	3	CR-41-11	10553	12.00	14.00	2.00	102	0.01%
6	4	CR-41-11	10554	14.00	16.00	2.00	149	0.02%
6	5	CR-41-11	10555	16.00	18.00	2.00	137	0.01%
6	6	CR-41-11	10556	18.00	20.00	2.00	71	0.01%
6	7	CR-41-11	10557	20.00	22.00	2.00	50	0.01%
6	8	CR-41-11	10558	22.00	24.00	2.00	43	0.00%
6	9	CR-41-11	10559	24.00	26.00	2.00	103	0.01%
6	11	CR-41-11	10561	26.00	28.00	2.00	70	0.01%
6	12	CR-41-11	10562	28.00	30.00	2.00	77	0.01%
6	13	CR-41-11	10563	30.00	32.00	2.00	70	0.01%
6	14	CR-41-11	10564	32.00	34.00	2.00	90	0.01%
6	15	CR-41-11	10565	34.00	36.00	2.00	110	0.01%
6	16	CR-41-11	10566	36.00	38.00	2.00	111	0.01%
6	17	CR-41-11	10567	38.00	40.00	2.00	433	0.04%
6	18	CR-41-11	10568	40.00	42.00	2.00	271	0.03%
6	19	CR-41-11	10569	42.00	44.00	2.00	360	0.04%
6	21	CR-41-11	10571	44.00	46.00	2.00	991	0.10%
6	22	CR-41-11	10572	46.00	48.00	2.00	765	0.08%
6	23	CR-41-11	10573	48.00	50.00	2.00	296	0.03%
6	24	CR-41-11	10574	50.00	52.00	2.00	451	0.05%
6	25	CR-41-11	10575	52.00	54.00	2.00	405	0.04%
6	26	CR-41-11	10576	54.00	56.00	2.00	547	0.06%
6	27	CR-41-11	10577	56.00	58.00	2.00	196	0.02%
6	28	CR-41-11	10578	58.00	60.00	2.00	70	0.01%
6	29	CR-41-11	10579	60.00	62.00	2.00	269	0.03%
6	31	CR-42-11	10581	1.80	3.80	2.00	145	0.02%
6	32	CR-42-11	10582	3.80	5.80	2.00	104	0.01%
6	33	CR-42-11	10583	5.80	7.80	2.00	51	0.01%

CRISTAL ZINC OXIDE DRILL RESULTS

6	34	CR-42-11	10584	7.80	9.80	2.00	103	0.01%
6	35	CR-42-11	10585	9.80	11.80	2.00	58	0.01%
6	36	CR-42-11	10586	11.80	13.80	2.00	97	0.01%
6	37	CR-42-11	10587	13.80	15.80	2.00	57	0.01%
6	38	CR-42-11	10588	15.80	17.80	2.00	186	0.02%
6	39	CR-42-11	10589	17.80	19.80	2.00	88	0.01%
6	41	CR-42-11	10591	19.80	21.80	2.00	92	0.01%
6	42	CR-42-11	10592	21.80	23.80	2.00	75	0.01%
6	43	CR-42-11	10593	23.80	25.80	2.00	77	0.01%
6	44	CR-42-11	10594	25.80	27.80	2.00	76	0.01%
6	45	CR-42-11	10595	27.80	29.80	2.00	133	0.01%
6	46	CR-42-11	10596	29.80	31.80	2.00	161	0.02%
6	47	CR-42-11	10597	31.80	33.80	2.00	347	0.04%
6	48	CR-42-11	10598	33.80	35.80	2.00	132	0.01%
6	49	CR-42-11	10599	35.80	37.80	2.00	306	0.03%
6	51	CR-42-11	10601	37.80	38.80	1.00	2656	0.27%
6	52	CR-42-11	10602	38.80	39.80	1.00	2983	0.30%
6	53	CR-42-11	10603	39.80	40.80	1.00	3189	0.32%
6	54	CR-42-11	10604	40.80	41.80	1.00	2156	0.22%
6	55	CR-42-11	10605	41.80	42.80	1.00	2570	0.26%
6	56	CR-42-11	10606	42.80	43.80	1.00	2576	0.26%
6	57	CR-42-11	10607	43.80	44.80	1.00	5235	0.52%
6	58	CR-42-11	10608	44.80	45.80	1.00	2513	0.25%
6	59	CR-42-11	10609	45.80	46.80	1.00	2105	0.21%
6	61	CR-42-11	10611	46.80	47.80	1.00	2453	0.25%
6	62	CR-42-11	10612	47.80	48.80	1.00	2681	0.27%
6	63	CR-42-11	10613	48.80	49.80	1.00	1502	0.15%
6	64	CR-42-11	10614	49.80	50.80	1.00	1045	0.11%
6	65	CR-42-11	10615	50.80	51.80	1.00	1360	0.14%
6	66	CR-42-11	10616	51.80	52.80	1.00	794	0.08%
6	67	CR-42-11	10617	52.80	53.80	1.00	1123	0.11%
6	68	CR-42-11	10618	53.80	54.80	1.00	2993	0.30%
6	69	CR-42-11	10619	54.80	55.80	1.00	2836	0.28%
6	71	CR-42-11	10621	55.80	56.80	1.00	528	0.05%
6	72	CR-42-11	10622	56.80	57.80	1.00	51	0.01%
6	73	CR-42-11	10623	57.80	58.80	1.00	847	0.09%
6	74	CR-42-11	10624	58.80	59.80	1.00	321	0.03%
6	75	CR-42-11	10625	59.80	60.80	1.00	1493	0.15%
6	76	CR-42-11	10626	60.80	61.80	1.00	1345	0.14%
6	77	CR-42-11	10627	61.80	63.80	2.00	879	0.09%
6	78	CR-42-11	10628	63.80	65.80	2.00	479	0.05%
6	79	CR-42-11	10629	65.80	67.80	2.00	66	0.01%
6	81	CR-42-11	10631	67.80	69.80	2.00	514	0.05%
6	82	CR-42-11	10632	69.80	71.80	2.00	103	0.01%
6	83	CR-42-11	10633	71.80	73.80	2.00	160	0.02%
6	84	CR-42-11	10634	73.80	75.80	2.00	66	0.01%
6	85	CR-42-11	10635	75.80	77.75	1.95	297	0.03%
6	86	CR-43-11	10636	9.00	11.00	2.00	164	0.02%
6	87	CR-43-11	10637	11.00	13.00	2.00	115	0.01%
6	88	CR-43-11	10638	13.00	15.00	2.00	100	0.01%

CRISTAL ZINC OXIDE DRILL RESULTS

6	89	CR-43-11	10639	15.00	17.00	2.00	82	0.01%
6	91	CR-43-11	10641	17.00	19.00	2.00	91	0.01%
6	92	CR-43-11	10642	19.00	21.00	2.00	58	0.01%
6	93	CR-43-11	10643	21.00	23.00	2.00	59	0.01%
6	94	CR-43-11	10644	23.00	25.00	2.00	112	0.01%
6	95	CR-43-11	10645	25.00	27.00	2.00	95	0.01%
6	96	CR-43-11	10646	27.00	29.00	2.00	301	0.03%
6	97	CR-43-11	10647	29.00	31.00	2.00	244	0.02%
6	98	CR-43-11	10648	31.00	33.00	2.00	198	0.02%
6	99	CR-43-11	10649	33.00	35.00	2.00	177	0.02%
6	101	CR-43-11	10651	35.00	37.00	2.00	189	0.02%
6	102	CR-43-11	10652	37.00	39.00	2.00	3698	0.37%
6	103	CR-43-11	10653	39.00	41.00	2.00	1717	0.17%
6	104	CR-43-11	10654	41.00	43.00	2.00	1667	0.17%
6	105	CR-43-11	10655	43.00	45.00	2.00	1395	0.14%
6	106	CR-43-11	10656	45.00	47.00	2.00	2640	0.26%
6	107	CR-43-11	10657	47.00	49.00	2.00	2350	0.24%
6	108	CR-43-11	10658	49.00	51.00	2.00	1904	0.19%
6	109	CR-43-11	10659	51.00	53.00	2.00	2500	0.25%
6	111	CR-43-11	10661	53.00	55.00	2.00	861	0.09%
6	112	CR-43-11	10662	55.00	57.00	2.00	66	0.01%
6	113	CR-43-11	10663	57.00	59.00	2.00	29	0.00%
6	114	CR-43-11	10664	59.00	61.00	2.00	368	0.04%
6	115	CR-43-11	10665	61.00	63.00	2.00	103	0.01%
6	116	CR-43-11	10666	63.00	65.00	2.00	471	0.05%
6	117	CR-43-11	10667	65.00	67.00	2.00	652	0.07%
6	118	CR-43-11	10668	67.00	69.00	2.00	303	0.03%
6	119	CR-43-11	10669	69.00	71.00	2.00	397	0.04%
6	121	CR-43-11	10671	71.00	73.00	2.00	1446	0.15%
6	122	CR-43-11	10672	73.00	75.00	2.00	591	0.06%
6	123	CR-43-11	10673	75.00	77.00	2.00	1485	0.15%
6	124	CR-43-11	10674	77.00	79.00	2.00	244	0.02%
6	125	CR-43-11	10675	79.00	80.20	1.20	799	0.08%
7	1031	CR-68-11	11581	3.30	7.3	4.00	409	0.04%
7	1032	CR-68-11	11582	7.30	7.6	0.30	>10000	4.24%
7	1033	CR-68-11	11583	7.60	12.6	5.00	670	0.07%
7	1034	CR-68-11	11584	12.60	17.6	5.00	>10000	1.55%
7	1035	CR-68-11	11585	17.60	22.6	5.00	285	0.03%
7	1036	CR-68-11	11586	22.60	27.6	5.00	145	0.02%
7	1037	CR-68-11	11587	27.60	32.6	5.00	100	0.01%
7	1038	CR-68-11	11588	32.60	37.6	5.00	79	0.01%
7	1039	CR-68-11	11589	37.60	42.6	5.00	58	0.01%
7	1041	CR-68-11	11591	42.60	47.6	5.00	167	0.02%
7	1042	CR-68-11	11592	47.60	52.6	5.00	148	0.02%
7	1043	CR-68-11	11593	52.60	57.6	5.00	73	0.01%
7	1044	CR-68-11	11594	57.60	62.6	5.00	275	0.03%
7	1045	CR-68-11	11595	62.60	67.6	5.00	564	0.06%
7	1046	CR-68-11	11596	67.60	70.7	3.10	145	0.02%
7	1047	CR-69-11	11597	1.40	3.2	1.80	>10000	11.52%
7	1048	CR-69-11	11598	3.30	7.7	4.40	6674	0.67%

CRISTAL ZINC OXIDE DRILL RESULTS

7	1049	CR-69-11	11599	7.70	9.15	1.45	683	0.07%
7	1051	CR-69-11	11601	9.15	10.25	1.10	>10000	6.88%
7	1052	CR-69-11	11602	10.25	10.75	0.50	508	0.05%
7	1053	CR-69-11	11603	10.75	12.2	1.45	>10000	5.11%
7	1054	CR-69-11	11604	12.20	13.9	1.70	1027	0.10%
7	1055	CR-69-11	11605	13.90	14.55	0.65	>10000	6.58%
7	1056	CR-69-11	11606	14.55	18.1	3.55	611	0.06%
7	1057	CR-69-11	11607	18.10	20.65	2.55	240	0.02%
7	1058	CR-69-11	11608	20.65	25.65	5.00	105	0.01%
7	1059	CR-69-11	11609	25.65	30.65	5.00	331	0.03%
7	1061	CR-69-11	11611	30.65	35.65	5.00	102	0.01%
7	1062	CR-69-11	11612	35.65	39.2	3.55	18	0.00%
7	1063	CR-69-11	11613	39.2	42.1	2.90	69	0.01%
7	1064	CR-69-11	11614	42.1	43	0.90	601	0.06%
7	1065	CR-69-11	11615	43	43.7	0.70	153	0.02%
7	1066	CR-69-11	11616	43.7	47.7	4.00	28	0.00%
7	1067	CR-69-11	11617	47.7	52.7	5.00	109	0.01%
8	972	CR-65-11	11522	3.30	8.30	5.00	82	0.01%
8	973	CR-65-11	11523	8.30	13.30	5.00	141	0.01%
8	974	CR-65-11	11524	13.30	18.30	5.00	571	0.06%
8	975	CR-65-11	11525	18.30	23.30	5.00	259	0.03%
8	976	CR-65-11	11526	23.30	25.90	2.60	327	0.03%
8	977	CR-65-11	11527	25.90	26.90	1.00	5102	0.51%
8	978	CR-65-11	11528	26.90	27.9	1.00	4103	0.41%
8	979	CR-65-11	11529	27.90	28.90	1.00	3935	0.39%
8	981	CR-65-11	11531	28.90	30.20	1.30	688	0.07%
8	982	CR-65-11	11532	30.20	30.70	0.50	>10000	5.40%
8	983	CR-65-11	11533	30.70	31.70	1.00	457	0.05%
8	984	CR-65-11	11534	31.70	32.80	1.10	318	0.03%
8	985	CR-65-11	11535	32.80	34.00	1.20	3318	0.33%
8	986	CR-65-11	11536	34.00	35.00	1.00	5569	0.56%
8	987	CR-65-11	11537	35.00	36.00	1.00	>10000	1.35%
8	988	CR-65-11	11538	36.00	38.00	2.00	4055	0.41%
8	989	CR-65-11	11539	38.00	39.00	1.00	2628	0.26%
8	991	CR-65-11	11541	39.00	40.00	1.00	3342	0.33%
8	992	CR-65-11	11542	40.00	41.00	1.00	8578	0.86%
8	993	CR-65-11	11543	41.00	42.50	1.50	7858	0.79%
8	994	CR-65-11	11544	42.50	43.50	1.00	1668	0.17%
8	995	CR-65-11	11545	43.50	45.20	1.70	3935	0.39%
8	996	CR-65-11	11546	45.20	46.00	0.80	>10000	6.06%
8	997	CR-65-11	11547	46.00	46.70	0.70	>10000	6.11%
8	998	CR-65-11	11548	49.70	52.2	2.50	>10000	3.34%
8	999	CR-65-11	11549	52.20	53.2	1.00	1321	0.13%
8	1001	CR-65-11	11551	53.20	54.2	1.00	3646	0.37%
8	1002	CR-65-11	11552	54.20	55.2	1.00	2868	0.29%
8	1003	CR-65-11	11553	55.20	60.2	5.00	1680	0.17%
8	1004	CR-65-11	11554	60.20	65.2	5.00	342	0.03%
8	1005	CR-65-11	11555	65.20	70.7	5.50	177	0.02%
8	1006	CR-66-11	11556	6.20	7.1	0.90	>10000	1.54%
8	1007	CR-66-11	11557	7.10	12.1	5.00	201	0.02%

CRISTAL ZINC OXIDE DRILL RESULTS

8	1008	CR-66-11	11558	12.10	17.1	5.00	64	0.01%
8	1009	CR-66-11	11559	17.10	22.1	5.00	633	0.06%
8	1011	CR-66-11	11561	22.10	27.1	5.00	86	0.01%
8	1012	CR-66-11	11562	27.10	32.1	5.00	99	0.01%
8	1013	CR-66-11	11563	32.10	37.1	5.00	33	0.00%
8	1014	CR-66-11	11564	37.10	42.1	5.00	203	0.02%
8	1015	CR-66-11	11565	42.10	47.1	5.00	33	0.00%
8	1016	CR-66-11	11566	47.10	50.5	3.40	196	0.02%
8	1017	CR-67-11	11567	3.20	5.6	2.40	2997	0.30%
8	1018	CR-67-11	11568	5.60	10.6	5.00	223	0.02%
8	1019	CR-67-11	11569	10.60	15.6	5.00	52	0.01%
8	1021	CR-67-11	11571	15.60	20.6	5.00	88	0.01%
8	1022	CR-67-11	11572	20.60	25.6	5.00	161	0.02%
8	1023	CR-67-11	11573	25.60	30.6	5.00	38	0.00%
8	1024	CR-67-11	11574	30.60	35.6	5.00	89	0.01%
8	1025	CR-67-11	11575	35.60	40.6	5.00	185	0.02%
8	1026	CR-67-11	11576	40.60	45.6	5.00	124	0.01%
8	1027	CR-67-11	11577	45.60	50.6	5.00	44	0.00%
8	1028	CR-67-11	11578	50.60	55.6	5.00	42	0.00%
8	1029	CR-67-11	11579	55.60	60.2	4.60	27	0.00%
9	725	CR-59-11	11275	3.95	5.95	2.00	10800	1.08%
9	726	CR-59-11	11276	5.95	7.95	2.00	33600	3.36%
9	727	CR-59-11	11277	7.95	9.95	2.00	38100	3.81%
9	728	CR-59-11	11278	9.95	11.95	2.00	18100	1.81%
9	729	CR-59-11	11279	11.95	13.95	2.00	17600	1.76%
9	731	CR-59-11	11281	13.95	15.95	2.00	14000	1.40%
9	732	CR-59-11	11282	15.95	17.95	2.00	21600	2.16%
9	733	CR-59-11	11283	17.95	19.95	2.00	26500	2.65%
9	734	CR-59-11	11284	19.95	21.95	2.00	28200	2.82%
9	735	CR-59-11	11285	21.95	23.95	2.00	71600	7.16%
9	736	CR-59-11	11286	23.95	24.7	0.75	50000	5.00%
9	737	CR-59-11	11287	24.7	25.85	1.15	13200	1.32%
9	738	CR-59-11	11288	25.85	27.85	2.00	10500	1.05%
9	739	CR-59-11	11289	27.85	29.85	2.00	1007	0.10%
9	741	CR-59-11	11291	29.85	31.85	2.00	1537	0.15%
9	742	CR-59-11	11292	31.85	33.2	1.35	468	0.05%
9	743	CR-59-11	11293	33.2	34.7	1.50	395	0.04%
9	744	CR-59-11	11294	34.7	36.7	2.00	1692	0.17%
9	745	CR-59-11	11295	36.7	38.7	2.00	2323	0.23%
9	746	CR-59-11	11296	38.7	40.7	2.00	2632	0.26%
9	747	CR-59-11	11297	40.7	42.7	2.00	2503	0.25%
9	748	CR-59-11	11298	42.7	44.7	2.00	1201	0.12%
9	749	CR-59-11	11299	44.7	46.7	2.00	874	0.09%
9	751	CR-59-11	11301	46.7	48.7	2.00	985	0.10%
9	752	CR-59-11	11302	48.7	50.7	2.00	114	0.01%
9	753	CR-59-11	11303	50.7	52.7	2.00	143	0.01%
9	754	CR-59-11	11304	52.7	54.7	2.00	85	0.01%
9	755	CR-59-11	11305	54.7	56.7	2.00	194	0.02%
9	756	CR-59-11	11306	56.7	58.7	2.00	105	0.01%
9	757	CR-59-11	11307	58.7	60.7	2.00	40	0.00%

CRISTAL ZINC OXIDE DRILL RESULTS

9	758	CR-59-11	11308	60.7	62.7	2.00	50	0.01%
9	759	CR-59-11	11309	62.7	64.7	2.00	42	0.00%
9	761	CR-59-11	11311	64.7	66.3	1.60	44	0.00%
9	762	CR-59-11	11312	66.3	68.3	2.00	345	0.04%
9	763	CR-59-11	11313	68.3	70.3	2.00	680	0.07%
9	764	CR-59-11	11314	70.3	71.6	1.30	1290	0.13%
9	765	CR-59-11	11315	71.6	73.6	2.00	32	0.00%
9	766	CR-59-11	11316	73.6	78.2	4.60	49	0.01%
9	767	CR-60-11	11317	5.7	7.7	2.00	3973	0.40%
9	768	CR-60-11	11318	7.7	9.7	2.00	>10000	1.30%
9	769	CR-60-11	11319	9.7	11.7	2.00	>10000	1.21%
9	771	CR-60-11	11321	11.7	13.7	2.00	>10000	3.43%
9	772	CR-60-11	11322	13.7	15.7	2.00	>10000	1.68%
9	773	CR-60-11	11323	15.7	17.7	2.00	>10000	14.26%
9	774	CR-60-11	11324	17.7	18.9	1.20	>10000	9.19%
9	775	CR-60-11	11325	18.9	21.4	2.50	1360	0.14%
9	776	CR-60-11	11326	21.4	23.9	2.50	651	0.07%
9	777	CR-60-11	11327	23.9	24.4	0.50	1034	0.10%
9	778	CR-60-11	11328	27.2	28.7	1.50	836	0.08%
9	779	CR-60-11	11329	28.7	30.2	1.50	7643	0.76%
9	781	CR-60-11	11331	32.9	33.2	0.30	>10000	35.73%
9	782	CR-60-11	11332	34.55	35.3	0.75	>10000	18.54%
9	783	CR-60-11	11333	35.3	36.25	0.95	5654	0.57%
9	784	CR-60-11	11334	36.25	37.5	1.25	>10000	7.03%
9	785	CR-60-11	11335	37.5	39.5	2.00	1723	0.17%
9	786	CR-60-11	11336	39.5	41.15	1.65	1381	0.14%
9	787	CR-60-11	11337	41.15	42.4	1.25	823	0.08%
9	788	CR-60-11	11338	42.4	44.4	2.00	2545	0.26%
9	789	CR-60-11	11339	44.4	46.4	2.00	2560	0.26%
9	791	CR-60-11	11341	46.4	48.1	1.70	667	0.07%
9	792	CR-60-11	11342	48.1	49.1	1.00	534	0.05%
9	793	CR-60-11	11343	49.1	54.1	5.00	207	0.02%
9	794	CR-60-11	11344	54.1	57.4	3.30	764	0.08%
9	795	CR-60-11	11345	57.4	57.9	0.50	6373	0.64%
9	796	CR-60-11	11346	57.9	59.4	1.50	860	0.09%
9	797	CR-60-11	11347	59.4	64.4	5.00	405	0.04%
9	798	CR-60-11	11348	64.4	67.7	3.30	400	0.04%
9	799	CR-60-11	11349	67.7	69.2	1.50	1286	0.13%
9	801	CR-60-11	11351	69.2	70.4	1.20	524	0.05%
9	802	CR-60-11	11352	70.4	71.1	0.70	3886	0.39%
9	803	CR-60-11	11353	71.1	72.2	1.10	2777	0.28%
9	804	CR-60-11	11354	72.2	73.2	1.00	1912	0.19%
9	805	CR-60-11	11355	73.2	74.6	1.40	4280	0.43%
9	806	CR-60-11	11356	74.6	75.2	0.60	1203	0.12%
10	1111	CR-72-11	11661	2	4	2.00	>10000	2.02%
10	1112	CR-72-11	11662	4	6	2.00	>10000	1.64%
10	1113	CR-72-11	11663	6	6.65	0.65	>10000	1.35%
10	1114	CR-72-11	11664	6.65	8	1.35	7651	0.77%
10	1115	CR-72-11	11665	8	10	2.00	>10000	1.24%
10	1116	CR-72-11	11666	10	12	2.00	>10000	1.35%

CRISTAL ZINC OXIDE DRILL RESULTS

10	1117	CR-72-11	11667	12	14	2.00	>10000	1.89%
10	1118	CR-72-11	11668	14	16	2.00	3169	0.32%
10	1119	CR-72-11	11669	16	18	2.00	2211	0.22%
10	1121	CR-72-11	11671	18	20	2.00	1631	0.16%
10	1122	CR-72-11	11672	20	22	2.00	2045	0.21%
10	1123	CR-72-11	11673	22	25.85	3.85	1352	0.14%
10	1124	CR-72-11	11674	25.85	26.85	1.00	>10000	6.76%
10	1125	CR-72-11	11675	26.85	28.7	1.85	>10000	16.71%
10	1126	CR-72-11	11676	28.7	29.7	1.00	>10000	2.58%
10	1127	CR-72-11	11677	29.7	31.7	2.00	>10000	6.37%
10	1128	CR-72-11	11678	31.7	32.7	1.00	>10000	9.35%
10	1129	CR-72-11	11679	32.7	33.7	1.00	>10000	3.77%
10	1131	CR-72-11	11681	33.7	35.7	2.00	>10000	20.03%
10	1132	CR-72-11	11682	35.7	37.25	1.55	>10000	1.59%
10	1133	CR-72-11	11683	37.25	38.6	1.35	1755	0.18%
10	1134	CR-72-11	11684	38.6	39.5	0.90	>10000	1.51%
10	1135	CR-72-11	11685	39.5	44.5	5.00	613	0.06%
10	1136	CR-72-11	11686	44.5	49.5	5.00	326	0.03%
10	1137	CR-72-11	11687	49.5	53.7	4.20	1122	0.11%
10	1138	CR-72-11	11688	53.7	55.7	2.00	6861	0.69%
10	1139	CR-72-11	11689	55.7	57.2	1.50	7487	0.75%
10	1141	CR-73-11	11691	0	2	2.00	3799	0.38%
10	1142	CR-73-11	11692	2	4	2.00	>10000	1.49%
10	1143	CR-73-11	11693	4	6.5	2.50	>10000	1.39%
10	1144	CR-73-11	11694	6.5	7.5	1.00	2660	0.27%
10	1145	CR-73-11	11695	7.5	10.7	3.20	>10000	4.98%
10	1146	CR-73-11	11696	10.7	13.7	3.00	5387	0.54%
10	1147	CR-73-11	11697	13.7	16	2.30	>10000	1.03%
10	1148	CR-73-11	11698	16	17	1.00	>10000	2.35%
10	1149	CR-73-11	11699	17	18.2	1.20	>10000	1.07%
10	1151	CR-73-11	11701	19.7	20.7	1.00	>10000	10.04%
10	1152	CR-73-11	11702	20.7	21.7	1.00	>10000	12.76%
10	1153	CR-73-11	11703	21.7	22.7	1.00	>10000	3.53%
10	1154	CR-73-11	11704	22.7	23.7	1.00	>10000	4.66%
10	1155	CR-73-11	11705	23.7	24.7	1.00	>10000	3.86%
10	1156	CR-73-11	11706	24.7	25.7	1.00	>10000	10.05%
10	1157	CR-73-11	11707	25.7	26.7	1.00	>10000	4.03%
10	1158	CR-73-11	11708	26.7	27.7	1.00	>10000	3.56%
10	1159	CR-73-11	11709	27.7	28.7	1.00	>10000	11.38%
10	1161	CR-73-11	11711	28.7	29.5	0.80	>10000	3.60%
10	1162	CR-73-11	11712	29.5	34.5	5.00	2532	0.25%
10	1163	CR-73-11	11713	34.5	39.5	5.00	3477	0.35%
10	1164	CR-73-11	11714	39.5	40.5	1.00	6584	0.66%
10	1165	CR-73-11	11715	40.5	41.5	1.00	>10000	2.00%
10	1166	CR-73-11	11716	41.5	42.5	1.00	>10000	1.68%
10	1167	CR-73-11	11717	42.5	47.5	5.00	997	0.10%
10	1168	CR-73-11	11718	47.5	50.7	3.20	1257	0.13%
10	1169	CR-74-11	11719	0	2	2.00	>10000	1.10%
10	1171	CR-74-11	11721	2	4	2.00	>10000	1.10%
10	1172	CR-74-11	11722	4	6	2.00	7037	0.70%

CRISTAL ZINC OXIDE DRILL RESULTS

10	1173	CR-74-11	11723	6	8	2.00	6933	0.69%
10	1174	CR-74-11	11724	8	10	2.00	9834	0.98%
10	1175	CR-74-11	11725	10	12	2.00	6192	0.62%
10	1176	CR-74-11	11726	12	13.8	1.80	1260	0.13%
10	1177	CR-74-11	11727	13.8	14.8	1.00	>10000	16.66%
10	1178	CR-74-11	11728	14.8	15.8	1.00	>10000	21.12%
10	1179	CR-74-11	11729	15.8	16.8	1.00	>10000	21.09%
10	1181	CR-74-11	11731	16.8	17.8	1.00	>10000	21.47%
10	1182	CR-74-11	11732	17.8	18.8	1.00	>10000	21.73%
10	1183	CR-74-11	11733	18.8	19.8	1.00	>10000	22.77%
10	1184	CR-74-11	11734	19.8	22.7	2.90	>10000	9.00%
10	1185	CR-74-11	11735	22.7	24.2	1.50	>10000	6.67%
10	1186	CR-74-11	11736	24.2	25.2	1.00	>10000	4.35%
10	1187	CR-74-11	11737	25.2	26.2	1.00	8050	0.81%
10	1188	CR-74-11	11738	26.2	27.2	1.00	>10000	1.60%
10	1189	CR-74-11	11739	27.2	28.9	1.70	5548	0.56%
10	1191	CR-74-11	11741	28.9	33.9	5.00	240	0.02%
10	1192	CR-74-11	11742	33.9	38.9	5.00	942	0.09%
10	1193	CR-74-11	11743	38.9	43.9	5.00	340	0.03%
10	1194	CR-74-11	11744	43.9	48.9	5.00	106	0.01%
10	1195	CR-74-11	11745	48.9	52.7	3.80	65	0.01%
11	1196	CR-75-11	11746	6.95	7.7	0.75	2661	0.27%
11	1197	CR-75-11	11747	9.2	11.2	2.00	2915	0.29%
11	1198	CR-75-11	11748	11.2	13.1	1.90	3756	0.38%
11	1199	CR-75-11	11749	13.1	15.1	2.00	6980	0.70%
11	1201	CR-75-11	11751	15.1	16.5	1.40	>10000	1.05%
11	1202	CR-75-11	11752	16.5	17.7	1.20	8058	0.81%
11	1203	CR-75-11	11753	17.7	19.7	2.00	>10000	1.05%
11	1204	CR-75-11	11754	19.7	21.7	2.00	>10000	1.48%
11	1205	CR-75-11	11755	21.7	22.7	1.00	>10000	1.52%
11	1206	CR-75-11	11756	22.7	23.7	1.00	>10000	2.59%
11	1207	CR-75-11	11757	23.7	24.7	1.00	>10000	2.23%
11	1208	CR-75-11	11758	24.7	25.7	1.00	6505	0.65%
11	1209	CR-75-11	11759	25.7	27.2	1.50	4323	0.43%
11	1211	CR-75-11	11761	27.2	29.1	1.90	3354	0.34%
11	1212	CR-75-11	11762	29.1	34.1	5.00	371	0.04%
11	1213	CR-75-11	11763	34.1	37.4	3.30	344	0.03%
11	1214	CR-75-11	11764	37.4	42.4	5.00	699	0.07%
11	1215	CR-75-11	11765	42.4	46.2	3.80	551	0.06%
11	1216	CR-75-11	11766	46.2	49.7	3.50	442	0.04%
11	1217	CR-76-11	11767	7	9	2.00	2067	0.21%
11	1218	CR-76-11	11768	9.2	11	1.80	1479	0.15%
11	1219	CR-76-11	11769	11	13	2.00	1565	0.16%
11	1221	CR-76-11	11771	13	15.2	2.20	4383	0.44%
11	1222	CR-76-11	11772	15.2	16.5	1.30	>10000	1.81%
11	1223	CR-76-11	11773	16.5	17.8	1.30	>10000	2.60%
11	1224	CR-76-11	11774	17.8	19.05	1.25	>10000	1.61%
11	1225	CR-76-11	11775	19.05	20.1	1.05	>10000	1.76%
11	1226	CR-76-11	11776	20.1	22.1	2.00	2097	0.21%
11	1227	CR-76-11	11777	22.1	23.7	1.60	2168	0.22%

CRISTAL ZINC OXIDE DRILL RESULTS

11	1228	CR-76-11	11778	23.7	24.7	1.00	>10000	1.14%
11	1229	CR-76-11	11779	24.7	25.7	1.00	8431	0.84%
11	1231	CR-76-11	11781	25.7	26.7	1.00	>10000	4.74%
11	1232	CR-76-11	11782	26.7	27.7	1.00	>10000	7.89%
11	1233	CR-76-11	11783	27.7	28.7	1.00	>10000	3.56%
11	1234	CR-76-11	11784	28.7	29.7	1.00	>10000	19.45%
11	1235	CR-76-11	11785	29.7	30.7	1.00	>10000	5.74%
11	1236	CR-76-11	11786	30.7	31.7	1.00	>10000	7.04%
11	1237	CR-76-11	11787	31.7	32.7	1.00	>10000	5.95%
11	1238	CR-76-11	11788	32.7	33.7	1.00	>10000	2.75%
11	1239	CR-76-11	11789	33.7	34.7	1.00	>10000	2.74%
11	1241	CR-76-11	11791	34.7	35.7	1.00	>10000	1.30%
11	1242	CR-76-11	11792	35.7	37.2	1.50	>10000	1.46%
11	1243	CR-76-11	11793	37.2	38.9	1.70	>10000	1.28%
11	1244	CR-76-11	11794	38.9	40.4	1.50	>10000	7.37%
11	1245	CR-76-11	11795	40.4	41.4	1.00	9345	0.94%
11	1246	CR-76-11	11796	41.4	42.4	1.00	4438	0.44%
11	1247	CR-76-11	11797	42.4	43.9	1.50	2995	0.30%
11	1248	CR-76-11	11798	43.9	48.9	5.00	1591	0.16%
11	1249	CR-76-11	11799	48.9	52.7	3.80	1074	0.11%
11	1251	CR-76-11	11801	52.7	54.2	1.50	2764	0.28%
11	1252	CR-76-11	11802	54.2	57.2	3.00	1060	0.11%
11	1253	CR-76-11	11803	57.2	59.2	2.00	2668	0.27%
11	1254	CR-76-11	11804	59.2	61.2	2.00	5292	0.53%
11	1255	CR-76-11	11805	61.2	62.8	1.60	6061	0.61%
11	1256	CR-76-11	11806	62.8	63.7	0.90	>10000	27.22%
11	1257	CR-76-11	11807	63.7	65.7	2.00	>10000	2.43%
11	1258	CR-76-11	11808	65.7	68.3	2.60	>10000	1.50%
11	1259	CR-76-11	11809	68.3	71	2.70	759	0.08%
11	1261	CR-76-11	11811	71	74.4	3.40	300	0.03%
11	1262	CR-77-11	11812	3.2	5.2	2.00	666	0.07%
11	1263	CR-77-11	11813	5.2	7.2	2.00	375	0.04%
11	1264	CR-77-11	11814	7.2	8.7	1.50	1307	0.13%
11	1265	CR-77-11	11815	8.7	10.7	2.00	3184	0.32%
11	1266	CR-77-11	11816	10.7	12.7	2.00	1646	0.17%
11	1267	CR-77-11	11817	12.7	14.7	2.00	1026	0.10%
11	1268	CR-77-11	11818	14.7	15.1	0.40	3598	0.36%
11	1269	CR-77-11	11819	15.1	17.1	2.00	3990	0.40%
11	1271	CR-77-11	11821	17.1	19.1	2.00	6916	0.69%
11	1272	CR-77-11	11822	19.1	21.1	2.00	18300	1.83%
11	1273	CR-77-11	11823	21.1	23.1	2.00	20000	2.00%
11	1274	CR-77-11	11824	23.1	25.1	2.00	11400	1.14%
11	1275	CR-77-11	11825	25.1	26.55	1.45	11400	1.14%
11	1276	CR-77-11	11826	26.55	27.1	0.55	9663	0.97%
11	1277	CR-77-11	11827	27.1	29.1	2.00	1587	0.16%
11	1278	CR-77-11	11828	29.1	31.1	2.00	>10000	16.93%
11	1279	CR-77-11	11829	31.1	32.1	1.00	>10000	18.87%
11	1281	CR-77-11	11831	32.1	33.1	1.00	>10000	23.49%
11	1282	CR-77-11	11832	33.1	34.1	1.00	7432	0.74%
11	1283	CR-77-11	11833	34.1	35.1	1.00	6234	0.62%

CRISTAL ZINC OXIDE DRILL RESULTS

11	1284	CR-77-11	11834	35.1	36.1	1.00	17700	1.77%
11	1285	CR-77-11	11835	36.1	37.1	1.00	7267	0.73%
11	1286	CR-77-11	11836	37.1	38.1	1.00	2810	0.28%
11	1287	CR-77-11	11837	38.1	39.1	1.00	1665	0.17%
11	1288	CR-77-11	11838	39.1	41.1	2.00	441	0.04%
11	1289	CR-77-11	11839	41.1	43.1	2.00	249	0.03%
11	1291	CR-77-11	11841	43.1	45.2	2.10	277	0.03%
11	1292	CR-77-11	11842	45.2	47.2	2.00	714	0.07%
11	1293	CR-77-11	11843	47.2	49.1	1.90	565	0.06%
11	1294	CR-77-11	11844	49.1	50.1	1.00	5097	0.51%
11	1295	CR-77-11	11845	50.1	51.2	1.10	3657	0.37%
11	1296	CR-77-11	11846	51.2	53.2	2.00	1978	0.20%
11	1297	CR-77-11	11847	53.2	55.2	2.00	437	0.04%
11	1298	CR-77-11	11848	55.2	57.2	2.00	958	0.10%
11	1299	CR-77-11	11849	57.2	59.2	2.00	1450	0.15%
11	1301	CR-77-11	11851	59.2	60.2	1.00	1468	0.15%
11	1302	CR-77-11	11852	60.2	61.2	1.00	3058	0.31%
11	1303	CR-77-11	11853	61.2	62.5	1.30	759	0.08%
11	1304	CR-77-11	11854	62.5	63.5	1.00	6281	0.63%
11	1305	CR-77-11	11855	63.5	64.5	1.00	423	0.04%
11	1306	CR-77-11	11856	64.5	66.3	1.80	3230	0.32%
11	1307	CR-77-11	11857	66.3	67.8	1.50	14000	1.40%
11	1308	CR-77-11	11858	67.8	71.5	3.70	15500	1.55%
11	1309	CR-77-11	11859	71.5	72.2	0.70	5150	0.52%
11	1311	CR-77-11	11861	72.2	73.1	0.90	2377	0.24%
11	1312	CR-77-11	11862	73.1	75.2	2.10	16200	1.62%
12	1068	CR-70-11	11618	0	0.6	0.60	>10000	31.91%
12	1069	CR-70-11	11619	0.6	1.6	1.00	>10000	6.41%
12	1071	CR-70-11	11621	1.6	2.6	1.00	>10000	1.41%
12	1072	CR-70-11	11622	2.6	3.35	0.75	7724	0.77%
12	1073	CR-70-11	11623	3.35	4.6	1.25	>10000	1.68%
12	1074	CR-70-11	11624	4.6	5.6	1.00	>10000	3.27%
12	1075	CR-70-11	11625	5.6	6.7	1.10	>10000	4.47%
12	1076	CR-70-11	11626	6.7	7.7	1.00	>10000	7.53%
12	1077	CR-70-11	11627	7.7	8.7	1.00	2398	0.24%
12	1078	CR-70-11	11628	8.7	9.7	1.00	3746	0.38%
12	1079	CR-70-11	11629	9.7	10.6	0.90	5374	0.54%
12	1081	CR-70-11	11631	10.6	11.6	1.00	3844	0.38%
12	1082	CR-70-11	11632	11.6	13.6	2.00	452	0.05%
12	1083	CR-70-11	11633	13.6	15.1	1.50	533	0.05%
12	1084	CR-70-11	11634	15.1	16.4	1.30	120	0.01%
12	1085	CR-70-11	11635	16.4	17.6	1.20	315	0.03%
12	1086	CR-70-11	11636	17.6	19.6	2.00	57	0.01%
12	1087	CR-70-11	11637	19.6	21.6	2.00	513	0.05%
12	1088	CR-70-11	11638	21.6	22.9	1.30	376	0.04%
12	1089	CR-70-11	11639	22.9	24.9	2.00	54	0.01%
12	1091	CR-70-11	11641	24.9	26.9	2.00	67	0.01%
12	1092	CR-70-11	11642	26.9	28.7	1.80	75	0.01%
12	1093	CR-70-11	11643	30.2	31.4	1.20	2457	0.25%
12	1094	CR-70-11	11644	31.4	33.4	2.00	1508	0.15%

CRISTAL ZINC OXIDE DRILL RESULTS

12	1095	CR-70-11	11645	33.4	34.7	1.30	1475	0.15%
12	1096	CR-70-11	11646	34.7	39.7	5.00	124	0.01%
12	1097	CR-70-11	11647	39.7	44.7	5.00	106	0.01%
12	1098	CR-70-11	11648	44.7	50.2	5.50	350	0.04%
12	1099	CR-71-11	11649	0	1	1.00	>10000	3.83%
12	1101	CR-71-11	11651	1	2	1.00	1865	0.19%
12	1102	CR-71-11	11652	2	3.4	1.40	>10000	1.38%
12	1103	CR-71-11	11653	3.4	4	0.60	5856	0.59%
12	1104	CR-71-11	11654	5	6.2	1.20	>10000	1.81%
12	1105	CR-71-11	11655	6.2	11.6	5.40	3087	0.31%
12	1106	CR-71-11	11656	11.6	16.6	5.00	2132	0.21%
12	1107	CR-71-11	11657	16.6	21.6	5.00	149	0.02%
12	1108	CR-71-11	11658	21.6	26.6	5.00	686	0.07%
12	1109	CR-71-11	11659	26.6	31.7	5.10	191	0.02%
13	126	CR-44-11	10676	0.00	1.85	1.85	238	0.02%
13	127	CR-44-11	10677	1.85	4.70	2.85	77	0.01%
13	128	CR-44-11	10678	4.70	5.40	0.70	110	0.01%
13	129	CR-44-11	10679	5.40	7.40	2.00	27	0.00%
13	131	CR-44-11	10681	7.40	9.40	2.00	87	0.01%
13	132	CR-44-11	10682	9.40	11.40	2.00	24	0.00%
13	133	CR-44-11	10683	11.40	13.40	2.00	109	0.01%
13	134	CR-44-11	10684	13.40	15.40	2.00	96	0.01%
13	135	CR-44-11	10685	15.40	17.40	2.00	103	0.01%
13	136	CR-44-11	10686	17.40	19.40	2.00	156	0.02%
13	137	CR-44-11	10687	19.40	21.40	2.00	66	0.01%
13	138	CR-44-11	10688	21.40	23.40	2.00	49	0.01%
13	139	CR-44-11	10689	23.40	25.40	2.00	49	0.01%
13	141	CR-44-11	10691	25.40	27.40	2.00	46	0.01%
13	142	CR-44-11	10692	27.40	29.40	2.00	19	0.00%
13	143	CR-44-11	10693	29.40	31.40	2.00	16	0.00%
13	144	CR-44-11	10694	31.40	33.40	2.00	24	0.00%
13	145	CR-44-11	10695	33.40	35.40	2.00	44	0.00%
13	146	CR-44-11	10696	35.40	37.40	2.00	19	0.00%
13	147	CR-44-11	10697	37.40	39.40	2.00	11	0.00%
13	148	CR-44-11	10698	39.40	41.40	2.00	11	0.00%
13	149	CR-44-11	10699	41.40	43.40	2.00	9	0.00%
13	151	CR-44-11	10701	43.40	45.40	2.00	8	0.00%
13	152	CR-44-11	10702	45.40	47.40	2.00	8	0.00%
13	153	CR-44-11	10703	47.40	49.40	2.00	9	0.00%
13	154	CR-44-11	10704	49.40	51.40	2.00	7	0.00%
13	155	CR-44-11	10705	51.40	53.40	2.00	12	0.00%
13	156	CR-44-11	10706	53.40	55.40	2.00	7	0.00%
13	157	CR-44-11	10707	55.40	57.40	2.00	7	0.00%
13	158	CR-44-11	10708	57.40	59.40	2.00	6	0.00%
13	159	CR-44-11	10709	59.40	61.40	2.00	14	0.00%
13	161	CR-44-11	10711	61.40	63.40	2.00	11	0.00%
13	162	CR-44-11	10712	63.40	65.40	2.00	10	0.00%
13	163	CR-44-11	10713	65.40	67.40	2.00	8	0.00%
13	164	CR-44-11	10714	67.40	69.40	2.00	8	0.00%
13	165	CR-44-11	10715	69.40	71.40	2.00	8	0.00%

CRISTAL ZINC OXIDE DRILL RESULTS

13	166	CR-44-11	10716	71.40	73.40	2.00	10	0.00%
13	167	CR-44-11	10717	73.40	75.40	2.00	9	0.00%
13	168	CR-44-11	10718	75.40	77.40	2.00	6	0.00%
13	169	CR-44-11	10719	77.40	79.40	2.00	7	0.00%
13	171	CR-44-11	10721	79.40	81.20	1.80	8	0.00%
13	172	CR-45-11	10722	1.70	3.70	2.00	201	0.02%
13	173	CR-45-11	10723	3.70	5.40	1.70	192	0.02%
13	174	CR-45-11	10724	5.40	7.40	2.00	7	0.00%
13	175	CR-45-11	10725	7.40	9.40	2.00	8	0.00%
13	176	CR-45-11	10726	9.40	11.40	2.00	6	0.00%
13	177	CR-45-11	10727	11.40	13.40	2.00	9	0.00%
13	178	CR-45-11	10728	13.40	14.30	0.90	9	0.00%
13	179	CR-45-11	10729	14.30	16.10	1.80	117	0.01%
13	181	CR-45-11	10731	16.10	18.10	2.00	16	0.00%
13	182	CR-45-11	10732	18.10	19.90	1.80	11	0.00%
13	183	CR-45-11	10733	19.90	21.90	2.00	30	0.00%
13	184	CR-45-11	10734	21.90	23.90	2.00	14	0.00%
13	185	CR-45-11	10735	23.90	25.90	2.00	11	0.00%
13	186	CR-45-11	10736	25.90	27.90	2.00	11	0.00%
13	187	CR-45-11	10737	27.90	29.90	2.00	17	0.00%
13	188	CR-45-11	10738	29.90	31.90	2.00	67	0.01%
13	189	CR-45-11	10739	31.90	33.90	2.00	69	0.01%
13	191	CR-45-11	10741	33.90	35.90	2.00	24	0.00%
13	192	CR-45-11	10742	35.90	37.90	2.00	25	0.00%
13	193	CR-45-11	10743	37.90	39.90	2.00	14	0.00%
13	194	CR-45-11	10744	39.90	41.90	2.00	7	0.00%
13	195	CR-45-11	10745	41.90	43.90	2.00	6	0.00%
13	196	CR-45-11	10746	43.90	45.90	2.00	7	0.00%
13	197	CR-45-11	10747	45.90	47.90	2.00	8	0.00%
13	198	CR-45-11	10748	47.90	49.90	2.00	6	0.00%
13	199	CR-45-11	10749	49.90	51.90	2.00	6	0.00%
13	201	CR-45-11	10751	51.90	53.90	2.00	5	0.00%
13	202	CR-45-11	10752	53.90	55.90	2.00	9	0.00%
13	203	CR-45-11	10753	55.90	57.90	2.00	9	0.00%
13	204	CR-45-11	10754	57.90	59.90	2.00	7	0.00%
13	205	CR-45-11	10755	59.90	61.90	2.00	7	0.00%
13	206	CR-45-11	10756	61.90	62.60	0.70	13	0.00%
13	207	CR-45-11	10757	62.60	64.60	2.00	15	0.00%
13	208	CR-45-11	10758	64.60	66.60	2.00	10	0.00%
13	209	CR-45-11	10759	66.60	67.40	0.80	9	0.00%
13	211	CR-45-11	10761	67.40	69.40	2.00	9	0.00%
13	212	CR-45-11	10762	69.40	71.40	2.00	9	0.00%
13	213	CR-45-11	10763	71.40	73.40	2.00	8	0.00%
13	214	CR-45-11	10764	73.40	75.40	2.00	8	0.00%
13	215	CR-45-11	10765	75.40	77.40	2.00	20	0.00%
13	216	CR-45-11	10766	77.40	79.40	2.00	12	0.00%
13	217	CR-45-11	10767	79.40	80.00	0.60	15	0.00%
21	807	CR-61-11	11357	0.70	1.90	1.20	>10000	3.83%
21	808	CR-61-11	11358	1.90	3.50	1.60	>10000	5.48%
21	809	CR-61-11	11359	3.50	4.50	1.00	>10000	2.90%

CRISTAL ZINC OXIDE DRILL RESULTS

21	811	CR-61-11	11361	4.50	5.50	1.00	>10000	2.98%
21	812	CR-61-11	11362	5.50	6.50	1.00	>10000	1.73%
21	813	CR-61-11	11363	6.50	7.50	1.00	>10000	1.41%
21	814	CR-61-11	11364	7.50	8.50	1.00	>10000	1.56%
21	815	CR-61-11	11365	8.50	9.50	1.00	>10000	6.20%
21	816	CR-61-11	11366	9.50	10.50	1.00	>10000	7.92%
21	817	CR-61-11	11367	10.50	11.50	1.00	>10000	8.34%
21	818	CR-61-11	11368	11.50	13.10	1.60	>10000	11.14%
21	819	CR-61-11	11369	13.10	14.10	1.00	>10000	3.78%
21	821	CR-61-11	11371	14.10	15.10	1.00	>10000	2.73%
21	822	CR-61-11	11372	15.10	16.10	1.00	>10000	5.63%
21	823	CR-61-11	11373	16.10	17.10	1.00	>10000	6.16%
21	824	CR-61-11	11374	17.10	18.20	1.10	>10000	3.27%
21	825	CR-61-11	11375	18.20	18.70	0.50	>10000	6.32%
21	826	CR-61-11	11376	19.70	20.70	1.00	>10000	10.41%
21	827	CR-61-11	11377	20.70	21.70	1.00	>10000	4.68%
21	828	CR-61-11	11378	21.70	22.70	1.00	>10000	2.00%
21	829	CR-61-11	11379	22.70	23.50	0.80	>10000	3.77%
21	831	CR-61-11	11381	23.50	24.50	1.00	>10000	3.72%
21	832	CR-61-11	11382	24.50	25.50	1.00	>10000	4.14%
21	833	CR-61-11	11383	25.50	26.50	1.00	>10000	4.60%
21	834	CR-61-11	11384	26.50	27.50	1.00	>10000	6.88%
21	835	CR-61-11	11385	27.50	28.50	1.00	>10000	4.03%
21	836	CR-61-11	11386	28.50	29.50	1.00	>10000	2.78%
21	837	CR-61-11	11387	29.50	30.50	1.00	8833	0.88%
21	838	CR-61-11	11388	30.50	32.00	1.50	>10000	1.49%
21	839	CR-61-11	11389	32.00	33.00	1.00	9974	1.00%
21	841	CR-61-11	11391	33.00	34.00	1.00	5014	0.50%
21	842	CR-61-11	11392	34.00	35.00	1.00	713	0.07%
21	843	CR-61-11	11393	35.00	36.00	1.00	1050	0.11%
21	844	CR-61-11	11394	36.00	38.80	2.80	5476	0.55%
21	845	CR-61-11	11395	38.80	39.50	0.70	2853	0.29%
21	846	CR-61-11	11396	39.50	40.30	0.80	902	0.09%
21	847	CR-61-11	11397	40.30	43.50	3.20	727	0.07%
21	848	CR-61-11	11398	43.50	46.70	3.20	2064	0.21%
21	849	CR-61-11	11399	46.70	47.30	0.60	3498	0.35%
21	851	CR-61-11	11401	47.30	48.30	1.00	2805	0.28%
21	852	CR-61-11	11402	48.30	49.30	1.00	3359	0.34%
21	853	CR-61-11	11403	49.30	50.30	1.00	5975	0.60%
21	854	CR-61-11	11404	50.30	51.30	1.00	5954	0.60%
21	855	CR-61-11	11405	51.30	52.30	1.00	5482	0.55%
21	856	CR-61-11	11406	52.30	53.30	1.00	5034	0.50%
21	857	CR-61-11	11407	53.30	55.70	2.40	5512	0.55%
21	858	CR-61-11	11408	55.70	56.70	1.00	4979	0.50%
21	859	CR-61-11	11409	56.70	58.70	2.00	2112	0.21%
21	861	CR-61-11	11411	58.70	60.70	2.00	2169	0.22%
21	862	CR-61-11	11412	60.70	61.50	0.80	3068	0.31%
21	863	CR-61-11	11413	61.50	63.20	1.70	859	0.09%
21	864	CR-62-11	11414	0.30	1.70	1.40	>10000	4.07%
21	865	CR-62-11	11415	1.70	2.40	0.70	>10000	2.09%

CRISTAL ZINC OXIDE DRILL RESULTS

21	866	CR-62-11	11416	2.40	3.20	0.80	5793	0.58%
21	867	CR-62-11	11417	3.20	4.20	1.00	>10000	2.44%
21	868	CR-62-11	11418	4.20	5.20	1.00	>10000	2.84%
21	869	CR-62-11	11419	5.20	6.30	1.10	>10000	7.71%
21	871	CR-62-11	11421	6.30	7.70	1.40	>10000	7.29%
21	872	CR-62-11	11422	7.70	8.70	1.00	>10000	8.01%
21	873	CR-62-11	11423	8.70	9.70	1.00	>10000	4.12%
21	874	CR-62-11	11424	9.70	10.70	1.00	>10000	2.97%
21	875	CR-62-11	11425	10.70	11.70	1.00	>10000	4.96%
21	876	CR-62-11	11426	11.70	12.65	0.95	>10000	2.98%
21	877	CR-62-11	11427	12.65	13.35	0.70	>10000	3.13%
21	878	CR-62-11	11428	13.35	14.35	1.00	>10000	1.82%
21	879	CR-62-11	11429	14.35	16.70	2.35	1315	0.13%
21	881	CR-62-11	11431	16.70	18.20	1.50	>10000	27.22%
21	882	CR-62-11	11432	18.20	18.70	0.50	9668	0.97%
21	883	CR-62-11	11433	18.70	20.70	2.00	4215	0.42%
21	884	CR-62-11	11434	20.70	21.70	1.00	2868	0.29%
21	885	CR-62-11	11435	21.70	22.70	1.00	3847	0.39%
21	886	CR-62-11	11436	22.70	23.50	0.80	7715	0.77%
21	887	CR-62-11	11437	23.50	24.25	0.75	3479	0.35%
21	888	CR-62-11	11438	24.25	27.05	2.80	601	0.06%
21	889	CR-62-11	11439	27.05	29.40	2.35	5162	0.52%
21	891	CR-62-11	11441	29.40	30.40	1.00	3100	0.31%
21	892	CR-62-11	11442	30.40	31.40	1.00	3789	0.38%
21	893	CR-62-11	11443	31.40	33.40	2.00	2153	0.22%
21	894	CR-62-11	11444	33.40	35.40	2.00	2732	0.27%
21	895	CR-62-11	11445	35.40	37.40	2.00	1680	0.17%
21	896	CR-62-11	11446	37.40	39.40	2.00	1340	0.13%
21	897	CR-62-11	11447	39.40	41.40	2.00	1015	0.10%
21	898	CR-62-11	11448	41.40	46.40	5.00	103	0.01%
21	899	CR-62-11	11449	46.40	51.40	5.00	79	0.01%
21	901	CR-62-11	11451	51.40	54.20	2.80	63	0.01%
21	902	CR-63-11	11452	1.70	3.20	1.50	>10000	42.55%
21	903	CR-63-11	11453	3.20	4.70	1.50	>10000	8.60%
21	904	CR-63-11	11454	4.70	6.20	1.50	>10000	34.38%
21	905	CR-63-11	11455	6.20	7.70	1.50	>10000	23.02%
21	906	CR-63-11	11456	7.70	8.70	1.00	>10000	21.04%
21	907	CR-63-11	11457	8.70	9.70	1.00	>10000	29.40%
21	908	CR-63-11	11458	9.70	10.7	1.00	>10000	30.05%
21	909	CR-63-11	11459	10.70	11.70	1.00	>10000	27.47%
21	911	CR-63-11	11461	11.70	12.70	1.00	>10000	20.74%
21	912	CR-63-11	11462	12.70	14.10	1.40	>10000	1.73%
21	913	CR-63-11	11463	14.10	15.20	1.10	2985	0.30%
21	914	CR-63-11	11464	15.20	17.70	2.50	865	0.09%
21	915	CR-63-11	11465	17.70	18.80	1.10	2624	0.26%
21	916	CR-63-11	11466	18.80	19.90	1.10	2632	0.26%
21	917	CR-63-11	11467	19.90	20.90	1.00	3905	0.39%
21	918	CR-63-11	11468	20.90	21.90	1.00	3763	0.38%
21	919	CR-63-11	11469	21.90	22.90	1.00	3926	0.39%
21	921	CR-63-11	11471	22.90	25.60	2.70	656	0.07%

CRISTAL ZINC OXIDE DRILL RESULTS

21	922	CR-63-11	11472	25.60	27.30	1.70	590	0.06%
21	923	CR-63-11	11473	27.30	28.00	0.70	2401	0.24%
21	924	CR-63-11	11474	28.00	28.70	0.70	2505	0.25%
21	925	CR-63-11	11475	28.70	32.30	3.60	943	0.09%
21	926	CR-63-11	11476	32.30	35.90	3.60	677	0.07%
21	927	CR-63-11	11477	35.90	40.90	5.00	96	0.01%
21	928	CR-63-11	11478	40.90	44.40	3.50	1173	0.12%
21	929	CR-63-11	11479	44.40	45.00	0.60	2924	0.29%
21	931	CR-63-11	11481	45.00	46.00	1.00	5275	0.53%
21	932	CR-63-11	11482	46.00	48.00	2.00	2065	0.21%
21	933	CR-63-11	11483	48.00	50.00	2.00	2402	0.24%
21	934	CR-63-11	11484	50.00	52.00	2.00	1109	0.11%
21	935	CR-63-11	11485	52.00	53.20	1.20	723	0.07%
21	936	CR-63-11	11486	53.20	54.20	1.00	1488	0.15%
21	937	CR-63-11	11487	54.20	55.20	1.00	1151	0.12%
21	938	CR-63-11	11488	55.20	56.20	1.00	1528	0.15%
21	939	CR-63-11	11489	56.20	57.20	1.00	1932	0.19%
21	941	CR-63-11	11491	57.20	58.20	1.00	2777	0.28%
21	942	CR-63-11	11492	58.20	59.20	1.00	3384	0.34%
21	943	CR-63-11	11493	59.20	60.20	1.00	2308	0.23%
21	944	CR-63-11	11494	60.20	61.20	1.00	3771	0.38%
21	945	CR-63-11	11495	61.20	62.20	1.00	3423	0.34%
21	946	CR-63-11	11496	62.20	63.20	1.00	2139	0.21%
21	947	CR-63-11	11497	63.20	64.20	1.00	3078	0.31%
21	948	CR-63-11	11498	64.20	65.20	1.00	2029	0.20%
21	949	CR-63-11	11499	65.20	66.20	1.00	2738	0.27%
21	951	CR-63-11	11501	66.20	67.20	1.00	2606	0.26%
21	952	CR-63-11	11502	67.20	68.20	1.00	2479	0.25%
21	953	CR-63-11	11503	68.20	69.20	1.00	2813	0.28%
21	954	CR-63-11	11504	69.20	69.70	0.50	3016	0.30%
21	955	CR-63-11	11505	69.70	72.20	2.50	1112	0.11%
21	956	CR-63-11	11506	72.20	75.20	3.00	976	0.10%
21	1313	CR-78-11	11863	0	0.5	0.50	>10000	10.34%
21	1314	CR-78-11	11864	0.5	1	0.50	3328	0.33%
21	1315	CR-78-11	11865	1	6	5.00	523	0.05%
21	1316	CR-78-11	11866	6	11	5.00	641	0.06%
21	1317	CR-78-11	11867	11	15.1	4.10	2971	0.30%
21	1318	CR-78-11	11868	15.1	15.7	0.60	10200	1.02%
21	1319	CR-78-11	11869	15.7	17.7	2.00	5427	0.54%
21	1321	CR-78-11	11871	17.7	19.1	1.40	7117	0.71%
21	1322	CR-78-11	11872	19.1	19.6	0.50	13300	1.33%
21	1323	CR-78-11	11873	19.6	20.6	1.00	7199	0.72%
21	1324	CR-78-11	11874	20.6	21.4	0.80	10600	1.06%
21	1325	CR-78-11	11875	21.4	22.4	1.00	3589	0.36%
21	1326	CR-78-11	11876	22.4	23.8	1.40	2970	0.30%
21	1327	CR-78-11	11877	23.8	27.2	3.40	578	0.06%
21	1328	CR-78-11	11878	27.2	27.7	0.50	10200	1.02%
21	1329	CR-78-11	11879	27.7	28.4	0.70	3467	0.35%
21	1331	CR-78-11	11881	28.4	29.4	1.00	15900	1.59%
21	1332	CR-78-11	11882	29.4	30	0.60	12800	1.28%

CRISTAL ZINC OXIDE DRILL RESULTS

21	1333	CR-78-11	11883	30	32	2.00	1296	0.13%
21	1334	CR-78-11	11884	32	34.15	2.15	1179	0.12%
21	1335	CR-78-11	11885	34.15	34.7	0.55	369	0.04%
21	1336	CR-78-11	11886	34.7	35.6	0.90	692	0.07%
21	1337	CR-78-11	11887	35.6	37.6	2.00	523	0.05%
21	1338	CR-78-11	11888	37.6	42.5	4.90	514	0.05%
21	1339	CR-78-11	11889	42.5	45.5	3.00	570	0.06%
21	1341	CR-78-11	11891	45.5	50.5	5.00	465	0.05%
21	1342	CR-78-11	11892	50.5	55.5	5.00	215	0.02%
21	1343	CR-78-11	11893	55.5	60.5	5.00	100	0.01%
21	1344	CR-78-11	11894	60.5	61.7	1.20	100	0.01%
22	1345	CR-79-11	11895	10.7	12.2	1.50	18400	1.84%
22	1346	CR-79-11	11896	12.2	13.8	1.60	27400	2.74%
22	1347	CR-79-11	11897	13.8	15.2	1.40	1500	0.15%
22	1348	CR-79-11	11898	18.2	19.3	1.10	7473	0.75%
22	1349	CR-79-11	11899	19.3	24.3	5.00	11900	1.19%
22	1351	CR-79-11	11901	24.3	27.1	2.80	2317	0.23%
22	1352	CR-79-11	11902	27.1	29.1	2.00	7493	0.75%
22	1353	CR-79-11	11903	29.1	31.1	2.00	4721	0.47%
22	1354	CR-79-11	11904	31.1	33.1	2.00	6665	0.67%
22	1355	CR-79-11	11905	33.1	35.1	2.00	2747	0.28%
22	1356	CR-79-11	11906	35.1	36.5	1.40	6133	0.61%
22	1357	CR-79-11	11907	37.7	39.7	2.00	2059	0.21%
22	1358	CR-79-11	11908	39.7	41.7	2.00	2683	0.27%
22	1359	CR-79-11	11909	41.7	43.7	2.00	42000	4.20%
22	1361	CR-79-11	11911	43.7	45.2	1.50	47800	4.78%
22	1362	CR-79-11	11912	45.2	48.2	3.00	4219	0.42%
22	1363	CR-79-11	11913	48.2	51.2	3.00	922	0.09%
22	1364	CR-79-11	11914	51.2	52.6	1.40	23000	2.30%
22	1365	CR-79-11	11915	52.6	54.9	2.30	2684	0.27%
22	1366	CR-79-11	11916	54.9	55.4	0.50	40700	4.07%
22	1367	CR-79-11	11917	55.4	56.7	1.30	670	0.07%
22	1368	CR-80-11	11918	13.1	15.2	2.10	6988	0.70%
22	1369	CR-80-11	11919	15.2	16.2	1.00	2979	0.30%
22	1371	CR-80-11	11921	16.2	17.2	1.00	1507	0.15%
22	1372	CR-80-11	11922	17.2	19.2	2.00	2192	0.22%
22	1373	CR-80-11	11923	19.2	21.25	2.05	1417	0.14%
22	1374	CR-80-11	11924	21.25	22.7	1.45	3891	0.39%
22	1375	CR-80-11	11925	22.7	25.7	3.00	1377	0.14%
22	1376	CR-80-11	11926	25.7	28.7	3.00	1034	0.10%
22	1377	CR-80-11	11927	28.7	33.7	5.00	431	0.04%
22	1378	CR-80-11	11928	33.7	38.7	5.00	3252	0.33%
22	1379	CR-80-11	11929	38.7	41.1	2.40	1160	0.12%
22	1381	CR-80-11	11931	41.1	42.2	1.10	3061	0.31%
22	1382	CR-80-11	11932	42.2	45.2	3.00	17300	1.73%
22	1383	CR-80-11	11933	45.2	48.2	3.00	76000	7.60%
22	1384	CR-80-11	11934	48.2	49.9	1.70	16200	1.62%
22	1385	CR-80-11	11935	49.9	50.9	1.00	62100	6.21%
22	1386	CR-80-11	11936	50.9	52.2	1.30	9695	0.97%
22	1387	CR-80-11	11937	52.2	52.9	0.70	65800	6.58%

CRISTAL ZINC OXIDE DRILL RESULTS

22	1388	CR-80-11	11938	52.9	54.2	1.30	4320	0.43%
22	1389	CR-80-11	11939	54.2	56.2	2.00	4728	0.47%
22	1391	CR-80-11	11941	56.2	58.4	2.20	10200	1.02%
22	1392	CR-80-11	11942	58.4	60	1.60	49300	4.93%
22	1393	CR-80-11	11943	60	64.7	4.70	5761	0.58%
23	1394	CR-81-11	11944	3.2	7.7	4.50	1301	0.13%
23	1395	CR-81-11	11945	7.7	12.7	5.00	268	0.03%
23	1396	CR-81-11	11946	12.7	18.5	5.80	234	0.02%
23	1397	CR-81-11	11947	18.5	19.5	1.00	1878	0.19%
23	1398	CR-81-11	11948	19.5	20.5	1.00	7437	0.74%
23	1399	CR-81-11	11949	20.5	21.5	1.00	>10000	1.34%
23	1401	CR-81-11	11951	21.5	22.5	1.00	3862	0.39%
23	1402	CR-81-11	11952	22.5	23.5	1.00	894	0.09%
23	1403	CR-81-11	11953	23.5	24.5	1.00	3799	0.38%
23	1404	CR-81-11	11954	24.5	25.5	1.00	1614	0.16%
23	1405	CR-81-11	11955	25.5	27.2	1.70	6970	0.70%
23	1406	CR-81-11	11956	27.2	31.2	4.00	>10000	2.08%
23	1407	CR-81-11	11957	31.2	32.2	1.00	>10000	2.22%
23	1408	CR-81-11	11958	32.2	33.2	1.00	>10000	2.48%
23	1409	CR-81-11	11959	33.2	34.2	1.00	>10000	1.94%
23	1411	CR-81-11	11961	34.2	35.4	1.20	>10000	116.00%
23	1412	CR-81-11	11962	35.4	36.4	1.00	2210	0.22%
23	1413	CR-81-11	11963	36.4	37.4	1.00	1418	0.14%
23	1414	CR-81-11	11964	37.4	38.4	1.00	1642	0.16%
23	1415	CR-81-11	11965	38.4	40.4	2.00	1949	0.20%
23	1416	CR-81-11	11966	40.4	41.4	1.00	1698	0.17%
23	1417	CR-81-11	11967	41.4	42.4	1.00	2794	0.28%
23	1418	CR-81-11	11968	42.4	43.7	1.30	1973	0.20%
23	1419	CR-81-11	11969	43.7	48.7	5.00	213	0.02%
23	1421	CR-81-11	11971	48.7	52.7	4.00	122	0.01%
23	1422	CR-81-11	11972	52.7	56.5	3.80	82	0.01%
23	1423	CR-82-11	11973	4.95	9.75	4.80	197	0.02%
23	1424	CR-82-11	11974	9.75	14.95	5.20	183	0.02%
23	1425	CR-82-11	11975	14.95	19.95	5.00	113	0.01%
23	1426	CR-82-11	11976	19.95	22.9	2.95	84	0.01%
23	1427	CR-82-11	11977	22.9	25.7	2.80	73	0.01%
23	1428	CR-82-11	11978	25.7	26.6	0.90	4774	0.48%
23	1429	CR-82-11	11979	26.6	31.6	5.00	65	0.01%
23	1431	CR-82-11	11981	31.6	36.6	5.00	48	0.01%
23	1432	CR-82-11	11982	36.6	41.6	5.00	38	0.00%
23	1433	CR-82-11	11983	41.6	46.6	5.00	74	0.01%
23	1434	CR-82-11	11984	46.6	51.2	4.60	112	0.01%
23	1435	CR-82-11	11985	51.2	56.2	5.00	548	0.06%
23	1436	CR-82-11	11986	56.2	60.2	4.00	310	0.03%
23	1437	CR-82-11	11987	60.2	63.2	3.00	239	0.02%
23	1438	CR-83-11	11988	1.3	6.2	4.90	3323	0.33%
23	1439	CR-83-11	11989	6.2	12.2	6.00	1065	0.11%
23	1441	CR-83-11	11991	12.2	16.7	4.50	114	0.01%
23	1442	CR-83-11	11992	16.7	18.7	2.00	233	0.02%
23	1443	CR-83-11	11993	18.7	23.7	5.00	319	0.03%

CRISTAL ZINC OXIDE DRILL RESULTS

23	1444	CR-83-11	11994	23.7	27.7	4.00	55	0.01%
23	1445	CR-83-11	11995	27.7	32.7	5.00	117	0.01%
23	1446	CR-83-11	11996	32.7	37.7	5.00	54	0.01%
23	1447	CR-83-11	11997	37.7	39.2	1.50	78	0.01%
23	1448	CR-83-11	11998	39.2	44.2	5.00	78	0.01%
23	1449	CR-83-11	11999	44.2	49.7	5.50	83	0.01%
23	1451	CR-83-11	12001	49.7	54.7	5.00	509	0.05%
23	1452	CR-83-11	12002	54.7	57.7	3.00	305	0.03%
23	1453	CR-83-11	12003	57.7	60.2	2.50	131	0.01%
23	1454	CR-84-11	12004	2.5	3.2	0.70	368	0.04%
23	1455	CR-84-11	12005	9.2	14.2	5.00	444	0.04%
23	1456	CR-84-11	12006	14.2	19.2	5.00	336	0.03%
23	1457	CR-84-11	12007	19.2	21.2	2.00	2656	0.27%
23	1458	CR-84-11	12008	21.2	22.2	1.00	2199	0.22%
23	1459	CR-84-11	12009	22.2	23.2	1.00	781	0.08%
23	1461	CR-84-11	12011	23.2	24.2	1.00	649	0.07%
23	1462	CR-84-11	12012	24.2	26.2	2.00	420	0.04%
23	1463	CR-84-11	12013	26.2	27.2	1.00	771	0.08%
23	1464	CR-84-11	12014	27.2	28.2	1.00	853	0.09%
23	1465	CR-84-11	12015	28.2	29.2	1.00	1327	0.13%
23	1466	CR-84-11	12016	29.2	30.2	1.00	3099	0.31%
23	1467	CR-84-11	12017	30.2	32.2	2.00	631	0.06%
23	1468	CR-84-11	12018	32.2	34.2	2.00	487	0.05%
23	1469	CR-84-11	12019	34.2	39.2	5.00	292	0.03%
23	1471	CR-84-11	12021	39.2	41.2	2.00	341	0.03%
23	1472	CR-84-11	12022	41.2	43.2	2.00	317	0.03%
23	1473	CR-84-11	12023	43.2	45.2	2.00	265	0.03%
23	1474	CR-84-11	12024	45.2	49.5	4.30	278	0.03%
23	1475	CR-84-11	12025	49.5	51.5	2.00	295	0.03%
23	1476	CR-84-11	12026	51.5	53.5	2.00	95	0.01%
23	1477	CR-84-11	12027	53.5	55.5	2.00	158	0.02%
23	1478	CR-84-11	12028	55.5	59.5	4.00	210	0.02%
23	1479	CR-84-11	12029	59.5	61.5	2.00	480	0.05%
23	1481	CR-84-11	12031	61.5	62.5	1.00	515	0.05%
23	1482	CR-84-11	12032	62.5	64.7	2.20	400	0.04%
23	1483	CR-85-11	12033	1.2	4.7	3.50	3345	0.34%
23	1484	CR-85-11	12034	4.7	9.7	5.00	148	0.02%
23	1485	CR-85-11	12035	9.7	14.7	5.00	498	0.05%
23	1486	CR-85-11	12036	14.7	16.6	1.90	180	0.02%
23	1487	CR-85-11	12037	16.6	19.6	3.00	8967	0.90%
23	1488	CR-85-11	12038	19.6	23.5	3.90	233	0.02%
23	1489	CR-85-11	12039	23.5	24.6	1.10	1708	0.17%
23	1491	CR-85-11	12041	24.6	27.8	3.20	572	0.06%
23	1492	CR-85-11	12042	27.8	33.05	5.25	983	0.10%
23	1493	CR-85-11	12043	33.05	36.2	3.15	441	0.04%
23	1494	CR-85-11	12044	36.2	41.2	5.00	57	0.01%
23	1495	CR-85-11	12045	41.2	46.2	5.00	87	0.01%
23	1496	CR-85-11	12046	46.2	51.2	5.00	280	0.03%
23	1497	CR-85-11	12047	51.2	56.2	5.00	75	0.01%
23	1498	CR-85-11	12048	56.2	60.2	4.00	49	0.01%

CRISTAL ZINC OXIDE DRILL RESULTS

23	1499	CR-85-11	12049	60.2	61.7	1.50	766	0.08%
23	1501	CR-86-11	12051	4.7	7.7	3.00	401	0.04%
23	1502	CR-86-11	12052	7.7	11.7	4.00	491	0.05%
23	1503	CR-86-11	12053	11.7	12.7	1.00	3218	0.32%
23	1504	CR-86-11	12054	12.7	14	1.30	5727	0.57%
23	1505	CR-86-11	12055	14	15.2	1.20	>10000	1.46%
23	1506	CR-86-11	12056	15.2	18.2	3.00	1328	0.13%
23	1507	CR-86-11	12057	18.2	20.2	2.00	966	0.10%
23	1508	CR-86-11	12058	20.2	22.2	2.00	1090	0.11%
23	1509	CR-86-11	12059	22.2	24.2	2.00	311	0.03%
23	1511	CR-86-11	12061	24.2	29.2	5.00	65	0.01%
23	1512	CR-86-11	12062	29.2	34.2	5.00	166	0.02%
23	1513	CR-86-11	12063	34.2	39.2	5.00	163	0.02%
23	1514	CR-86-11	12064	39.2	44.2	5.00	287	0.03%
23	1515	CR-86-11	12065	44.2	49.2	5.00	68	0.01%
23	1516	CR-86-11	12066	49.2	54.2	5.00	66	0.01%
23	1517	CR-86-11	12067	54.2	59.2	5.00	50	0.01%
23	1518	CR-86-11	12068	59.2	64.7	5.50	246	0.03%
23	1519	CR-87-11	12069	0.3	5.3	5.00	153	0.02%
23	1521	CR-87-11	12071	5.3	10.2	4.90	104	0.01%
23	1522	CR-87-11	12072	10.2	11.6	1.40	1219	0.12%
23	1523	CR-87-11	12073	11.6	12.3	0.70	>10000	2.18%
23	1524	CR-87-11	12074	12.3	13.3	1.00	8413	0.84%
23	1525	CR-87-11	12075	13.3	15.3	2.00	809	0.08%
23	1526	CR-87-11	12076	15.3	20.3	5.00	263	0.03%
23	1527	CR-87-11	12077	20.3	25.3	5.00	119	0.01%
23	1528	CR-87-11	12078	25.3	26.9	1.60	121	0.01%
23	1529	CR-87-11	12079	26.9	28.8	1.90	301	0.03%
23	1531	CR-87-11	12081	28.8	32.9	4.10	69	0.01%
23	1532	CR-87-11	12082	32.9	34.45	1.55	35	0.00%
23	1533	CR-87-11	12083	34.45	39.4	4.95	164	0.02%
23	1534	CR-87-11	12084	39.4	43.7	4.30	285	0.03%
23	1535	CR-88-11	12085	1.8	3.2	1.40	>10000	1.12%
23	1536	CR-88-11	12086	3.2	4.7	1.50	8863	0.89%
23	1537	CR-88-11	12087	4.7	7.7	3.00	>10000	1.45%
23	1538	CR-88-11	12088	7.7	8.5	0.80	>10000	1.94%
23	1539	CR-88-11	12089	8.5	10.5	2.00	>10000	1.43%
23	1541	CR-88-11	12091	10.5	11.5	1.00	1959	0.20%
23	1542	CR-88-11	12092	11.5	12.5	1.00	2811	0.28%
23	1543	CR-88-11	12093	12.5	13.5	1.00	2362	0.24%
23	1544	CR-88-11	12094	13.5	14.5	1.00	1582	0.16%
23	1545	CR-88-11	12095	14.5	15.5	1.00	2656	0.27%
23	1546	CR-88-11	12096	15.5	16.5	1.00	4260	0.43%
23	1547	CR-88-11	12097	16.5	18.5	2.00	4463	0.45%
23	1548	CR-88-11	12098	18.5	20.5	2.00	1545	0.16%
23	1549	CR-88-11	12099	20.5	22.5	2.00	1044	0.10%
23	1551	CR-88-11	12101	22.5	26.8	4.30	402	0.04%
23	1552	CR-88-11	12102	26.8	28.8	2.00	323	0.03%
23	1553	CR-88-11	12103	28.8	30.8	2.00	344	0.03%
23	1554	CR-88-11	12104	30.8	32.8	2.00	299	0.03%

CRISTAL ZINC OXIDE DRILL RESULTS

23	1555	CR-88-11	12105	32.8	34.8	2.00	446	0.05%
23	1556	CR-88-11	12106	34.8	35.8	1.00	1799	0.18%
23	1557	CR-88-11	12107	35.8	36.8	1.00	1793	0.18%
23	1558	CR-88-11	12108	36.8	38.7	1.90	358	0.04%
23	1559	CR-88-11	12109	38.7	39.7	1.00	1013	0.10%
23	1561	CR-88-11	12111	39.7	40.7	1.00	936	0.09%
23	1562	CR-88-11	12112	40.7	41.7	1.00	863	0.09%
23	1563	CR-88-11	12113	41.7	42.7	1.00	820	0.08%
23	1564	CR-88-11	12114	42.7	43.7	1.00	1172	0.12%
23	1565	CR-88-11	12115	43.7	44.7	1.00	1592	0.16%
23	1566	CR-88-11	12116	44.7	45.7	1.00	1834	0.18%
23	1567	CR-88-11	12117	45.7	46.7	1.00	1711	0.17%
23	1568	CR-88-11	12118	46.7	47.7	1.00	2246	0.23%
23	1569	CR-88-11	12119	47.7	48.7	1.00	2746	0.28%
23	1571	CR-88-11	12121	48.7	49.7	1.00	2598	0.26%
23	1572	CR-88-11	12122	49.7	50.7	1.00	3638	0.36%
23	1573	CR-88-11	12123	50.7	51.7	1.00	1946	0.20%
23	1574	CR-88-11	12124	51.7	52.7	1.00	2129	0.21%
23	1575	CR-88-11	12125	52.7	53.7	1.00	2062	0.21%
23	1576	CR-88-11	12126	53.7	54.7	1.00	7926	0.79%
23	1577	CR-88-11	12127	54.7	55.7	1.00	4464	0.45%
23	1578	CR-88-11	12128	55.7	56.8	1.10	3185	0.32%
23	1579	CR-88-11	12129	56.8	59.7	2.90	139	0.01%
23	1581	CR-88-11	12131	59.7	64.7	5.00	6518	0.65%
23	1582	CR-89-11	12132	11.95	13.7	1.75	2003	0.20%
23	1583	CR-89-11	12133	13.7	18.1	4.40	>10000	2.55%
23	1584	CR-89-11	12134	18.1	20.1	2.00	5052	0.51%
23	1585	CR-89-11	12135	20.1	22.1	2.00	2040	0.20%
23	1586	CR-89-11	12136	22.1	24.1	2.00	2369	0.24%
23	1587	CR-89-11	12137	24.1	25.7	1.60	3698	0.37%
23	1588	CR-89-11	12138	25.7	27.7	2.00	2409	0.24%
23	1589	CR-89-11	12139	27.7	29.7	2.00	3006	0.30%
23	1591	CR-89-11	12141	29.7	31.7	2.00	2831	0.28%
23	1592	CR-89-11	12142	31.7	33.7	2.00	4878	0.49%
23	1593	CR-89-11	12143	33.7	35.7	2.00	>10000	1.44%
23	1594	CR-89-11	12144	35.7	37.7	2.00	2104	0.21%
23	1595	CR-89-11	12145	37.7	42.2	4.50	671	0.07%
23	1596	CR-90-11	12146	3.8	5.2	1.40	>10000	2.42%
23	1597	CR-90-11	12147	5.2	6.45	1.25	>10000	4.18%
23	1598	CR-90-11	12148	6.45	7.7	1.25	>10000	2.04%
23	1599	CR-90-11	12149	7.7	8.7	1.00	>10000	1.05%
23	1601	CR-90-11	12151	8.7	9.7	1.00	>10000	1.60%
23	1602	CR-90-11	12152	9.7	10.7	1.00	8202	0.82%
23	1603	CR-90-11	12153	10.7	11.7	1.00	5898	0.59%
23	1604	CR-90-11	12154	11.7	13.7	2.00	1391	0.14%
23	1605	CR-90-11	12155	13.7	14.7	1.00	1270	0.13%
23	1606	CR-90-11	12156	14.7	15.7	1.00	805	0.08%
23	1607	CR-90-11	12157	15.7	16.7	1.00	1390	0.14%
23	1608	CR-90-11	12158	16.7	18.7	2.00	3135	0.31%
23	1609	CR-90-11	12159	18.7	19.7	1.00	1914	0.19%

CRISTAL ZINC OXIDE DRILL RESULTS

23	1611	CR-90-11	12161	21.2	22.7	1.50	5575	0.56%
23	1612	CR-90-11	12162	24.2	25.1	0.90	>10000	2.26%
23	1613	CR-90-11	12163	25.1	26.6	1.50	2724	0.27%
23	1614	CR-90-11	12164	26.6	27.2	0.60	470	0.05%
23	1615	CR-90-11	12165	27.2	28.2	1.00	8201	0.82%
23	1616	CR-90-11	12166	28.2	29.2	1.00	1895	0.19%
23	1617	CR-90-11	12167	29.2	30.2	1.00	1663	0.17%
23	1618	CR-90-11	12168	30.2	32.2	2.00	771	0.08%
23	1619	CR-90-11	12169	32.2	34.2	2.00	633	0.06%
23	1621	CR-90-11	12171	34.2	36	1.80	920	0.09%
23	1622	CR-90-11	12172	36	37.7	1.70	6539	0.65%
23	1623	CR-90-11	12173	37.7	38.7	1.00	5858	0.59%
23	1624	CR-90-11	12174	38.7	40.7	2.00	3842	0.38%
23	1625	CR-90-11	12175	40.7	42.7	2.00	1185	0.12%
23	1626	CR-90-11	12176	42.7	46.7	4.00	280	0.03%
23	1627	CR-90-11	12177	46.7	49.7	3.00	550	0.06%
23	1628	CR-90-11	12178	49.7	50.9	1.20	2230	0.22%
23	1629	CR-90-11	12179	50.9	54.2	3.30	592	0.06%
23	1631	CR-91-11	12181	3.3	4.3	1.00	>10000	2.84%
23	1632	CR-91-11	12182	4.3	4.8	0.50	>10000	1.43%
23	1633	CR-91-11	12183	4.8	5.3	0.50	1582	0.16%
23	1634	CR-91-11	12184	5.3	6.2	0.90	6076	0.61%
23	1635	CR-91-11	12185	6.2	7.2	1.00	>10000	6.08%
23	1636	CR-91-11	12186	7.2	8.2	1.00	>10000	1.62%
23	1637	CR-91-11	12187	8.2	9.2	1.00	>10000	1.51%
23	1638	CR-91-11	12188	9.2	10.7	1.50	>10000	2.22%
23	1639	CR-91-11	12189	10.7	12.2	1.50	>10000	2.35%
23	1641	CR-91-11	12191	12.2	13.2	1.00	4758	0.48%
23	1642	CR-91-11	12192	13.2	14.2	1.00	2568	0.26%
23	1643	CR-91-11	12193	14.2	15.2	1.00	3142	0.31%
23	1644	CR-91-11	12194	15.2	16.2	1.00	2794	0.28%
23	1645	CR-91-11	12195	16.2	17.2	1.00	5064	0.51%
23	1646	CR-91-11	12196	17.2	18.2	1.00	3045	0.31%
23	1647	CR-91-11	12197	18.2	19.2	1.00	5892	0.59%
23	1648	CR-91-11	12198	19.2	20.2	1.00	4044	0.40%
23	1649	CR-91-11	12199	20.2	21.2	1.00	3868	0.39%
23	1651	CR-91-11	12201	21.2	22.2	1.00	3186	0.32%
23	1652	CR-91-11	12202	22.2	23.2	1.00	2361	0.24%
23	1653	CR-91-11	12203	23.2	24.2	1.00	1862	0.19%
23	1654	CR-91-11	12204	24.2	25.2	1.00	1805	0.18%
23	1655	CR-91-11	12205	25.2	26.2	1.00	2191	0.22%
23	1656	CR-91-11	12206	26.2	27.2	1.00	6468	0.65%
23	1657	CR-91-11	12207	27.2	28.2	1.00	1532	0.15%
23	1658	CR-91-11	12208	28.2	29.2	1.00	943	0.09%
23	1659	CR-91-11	12209	29.2	30.2	1.00	643	0.06%
23	1661	CR-91-11	12211	30.2	31.5	1.30	313	0.03%
23	1662	CR-91-11	12212	31.5	32.5	1.00	1167	0.12%
23	1663	CR-91-11	12213	32.5	34.7	2.20	432	0.04%
23	1664	CR-91-11	12214	34.7	39.7	5.00	378	0.04%
23	1665	CR-91-11	12215	39.7	44.7	5.00	177	0.02%

CRISTAL ZINC OXIDE DRILL RESULTS

23	1666	CR-91-11	12216	44.7	49.7	5.00	353	0.04%
23	1667	CR-92-11	12217	4.4	5.4	1.00	>10000	1.85%
23	1668	CR-92-11	12218	5.4	6.4	1.00	5006	0.50%
23	1669	CR-92-11	12219	6.4	7.4	1.00	5747	0.58%
23	1671	CR-92-11	12221	7.4	8.4	1.00	3093	0.31%
23	1672	CR-92-11	12222	8.4	9.4	1.00	3454	0.35%
23	1673	CR-92-11	12223	9.4	11.4	2.00	3598	0.36%
23	1674	CR-92-11	12224	11.4	13.4	2.00	3061	0.31%
23	1675	CR-92-11	12225	13.4	18.4	5.00	992	0.10%
23	1676	CR-92-11	12226	18.4	23.4	5.00	1567	0.16%
23	1677	CR-92-11	12227	23.4	24.2	0.80	2800	0.28%
23	1678	CR-92-11	12228	24.2	30.7	6.50	775	0.08%
23	1679	CR-92-11	12229	30.7	31.7	1.00	453	0.05%
23	1681	CR-92-11	12231	31.7	32.7	1.00	894	0.09%
23	1682	CR-92-11	12232	32.7	33.2	0.50	1204	0.12%
23	1683	CR-92-11	12233	33.2	34.7	1.50	1337	0.13%
23	1684	CR-92-11	12234	34.7	40.7	6.00	174	0.02%
23	1685	CR-92-11	12235	40.7	45.7	5.00	222	0.02%
23	1686	CR-92-11	12236	45.7	50.7	5.00	289	0.03%
23	1687	CR-92-11	12237	50.7	54.2	3.50	213	0.02%
23	1688	CR-93-11	12238	0.5	1.5	1.00	2285	0.23%
23	1689	CR-93-11	12239	1.5	2.5	1.00	2729	0.27%
23	1690	CR-93-11	12240			0.00	8	0.00%
23	1691	CR-93-11	12241	2.5	3.5	1.00	5101	0.51%
23	1692	CR-93-11	12242	3.5	4.7	1.20	6190	0.62%
23	1693	CR-93-11	12243	4.7	7.7	3.00	5845	0.59%
23	1694	CR-93-11	12244	7.7	9.2	1.50	>10000	3.89%
23	1695	CR-93-11	12245	9.2	10.7	1.50	5856	0.59%
23	1696	CR-93-11	12246	10.7	11.7	1.00	7140	0.71%
23	1697	CR-93-11	12247	11.7	12.7	1.00	6120	0.61%
23	1698	CR-93-11	12248	12.7	13.7	1.00	>10000	1.88%
23	1699	CR-93-11	12249	13.7	14.7	1.00	9755	0.98%
23	1701	CR-93-11	12251	14.7	15.7	1.00	2160	0.22%
23	1702	CR-93-11	12252	15.7	17.2	1.50	1300	0.13%
23	1703	CR-93-11	12253	17.2	21.2	4.00	304	0.03%
23	1704	CR-93-11	12254	21.2	22.2	1.00	999	0.10%
23	1705	CR-93-11	12255	22.2	23.2	1.00	1138	0.11%
23	1706	CR-93-11	12256	23.2	24.2	1.00	992	0.10%
23	1707	CR-93-11	12257	24.2	27.2	3.00	706	0.07%
23	1708	CR-94-11	12258	0	2	2.00	6790	0.68%
23	1709	CR-94-11	12259	2	4	2.00	>10000	1.28%
23	1711	CR-94-11	12261	4	5	1.00	>10000	3.19%
23	1712	CR-94-11	12262	5	6.2	1.20	>10000	2.83%
23	1713	CR-94-11	12263	7.7	9.7	2.00	1856	0.19%
23	1714	CR-94-11	12264	9.7	10.7	1.00	1982	0.20%
23	1715	CR-94-11	12265	10.7	13.7	3.00	6229	0.62%
23	1716	CR-94-11	12266	13.7	15.7	2.00	1059	0.11%
23	1717	CR-94-11	12267	15.7	17.7	2.00	862	0.09%
23	1718	CR-94-11	12268	17.7	19.7	2.00	883	0.09%
23	1719	CR-94-11	12269	19.7	21.7	2.00	751	0.08%

CRISTAL ZINC OXIDE DRILL RESULTS

23	1721	CR-94-11	12271	21.7	22.7	1.00	596	0.06%
23	1722	CR-94-11	12272	22.7	27.7	5.00	600	0.06%
23	1723	CR-94-11	12273	27.7	32.7	5.00	474	0.05%
23	1724	CR-94-11	12274	32.7	37.7	5.00	416	0.04%
23	1725	CR-94-11	12275	37.7	40.2	2.50	220	0.02%
23	1726	CR-95-11	12276	1.55	4.5	2.95	>10000	1.80%
23	1727	CR-95-11	12277	4.5	6.25	1.75	3221	0.32%
23	1728	CR-95-11	12278	6.25	8.25	2.00	2079	0.21%
23	1729	CR-95-11	12279	8.25	10.25	2.00	932	0.09%
23	1731	CR-95-11	12281	10.25	12.2	1.95	3618	0.36%
23	1732	CR-95-11	12282	12.2	13.7	1.50	>10000	1.61%
23	1733	CR-95-11	12283	13.7	14.7	1.00	>10000	2.00%
23	1734	CR-95-11	12284	14.7	15.7	1.00	>10000	2.00%
23	1735	CR-95-11	12285	15.7	16.7	1.00	>10000	2.00%
23	1736	CR-95-11	12286	16.7	19.7	3.00	>10000	4.00%
23	1737	CR-95-11	12287	19.7	20.7	1.00	9398	0.94%
23	1738	CR-95-11	12288	20.7	21.7	1.00	7012	0.70%
23	1739	CR-95-11	12289	21.7	22.7	1.00	4566	0.46%
23	1741	CR-95-11	12291	22.7	24.1	1.40	5219	0.52%
23	1742	CR-95-11	12292	24.1	26.1	2.00	1505	0.15%
23	1743	CR-95-11	12293	26.1	27.2	1.10	3964	0.40%
23	1744	CR-95-11	12294	27.2	28.2	1.00	2841	0.28%
23	1745	CR-95-11	12295	28.2	29.2	1.00	1010	0.10%
23	1746	CR-95-11	12296	29.2	30.2	1.00	1456	0.15%
23	1747	CR-95-11	12297	30.2	31.2	1.00	1431	0.14%
23	1748	CR-95-11	12298	31.2	32.2	1.00	973	0.10%
23	1749	CR-95-11	12299	32.2	33.2	1.00	1059	0.11%
23	1751	CR-95-11	12301	33.2	34.2	1.00	1051	0.11%
23	1752	CR-95-11	12302	34.2	35.2	1.00	791	0.08%
23	1753	CR-95-11	12303	35.2	36.2	1.00	1111	0.11%
23	1754	CR-95-11	12304	36.2	37.2	1.00	4018	0.40%
23	1755	CR-95-11	12305	37.2	39.2	2.00	5096	0.51%
23	1756	CR-95-11	12306	39.2	40.2	1.00	1505	0.15%
23	1757	CR-95-11	12307	40.2	41.7	1.50	1591	0.16%
23	1758	CR-95-11	12308	41.7	45.2	3.50	491	0.05%
23	1759	CR-95-11	12309	45.2	46.7	1.50	429	0.04%

13 Aug 11

Total

3,077.65

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS

CRISTAL ZINC OXIDE DRILL RESULTS